

SIX MONTHLY COMPLIANCE REPORT

(Period: April, 2023 to September, 2023)

**Refer EC File No. J-11011/258/2012-IA II (I))
dated 27th August, 2015 and
EC File No. J-11011/258/2012-IA.II(I))
dated 25th April, 2022**

for

**Proposed expansion of Steel Melting shop
unit (50,400 TPA to 90,000 TPA) by installation
of 1x10 T + 1x15 T Induction Furnaces with
matching LRF & CCM**

at

**Village: Palitpur, Mouza & P.O. : Mirzapur,
P.S. & District: Burdwan, West Bengal**

Project Proponent

HMB Ispat Private Limited

**4, D.L. Khan Road, Block-C, Flat No. 201,
2nd Floor, P.S. Kalighat, P.O. Bhowanipur,
Kolkata - 700 025**

SIX MONTHLY COMPLIANCE REPORT

(Period: April, 2023 to September, 2023)

Refer EC File No. J-11011/258/2012-IA II (I) dated 27th August, 2015 and
EC File No. J-11011/258/2012-IA.II(I) dated 25th April, 2022

Project Name:

Proposed expansion of Steel Melting shop unit (50,400 TPA to 90,000 TPA) by installation of 1x10T + 1x15T Induction Furnaces with matching LRF & CCM

Project Site:

Village: Palitpur, Mouza & P.O. : Mirzapur, P.S. & District: Burdwan, West Bengal

- Initially, the Company was involved for production of 50,400 TPA of ingots from 2x7T induction furnaces.
- M/s BRGD Ingot Pvt. Ltd.** obtained an Environmental Clearance (EC granted vide F. No. J-11011/258/2012-IA-II-(I), dated 27-08-2015) from Ministry of Environment, Forest & Climate Change (MoEF&CC), Govt. of India for setting up of Induction Furnaces (1x10T + 1x15T) with matching LRF & CCM for production of 90,000 TPA Billets.
- Consent to Establish (NOC) for both the Induction furnaces has been obtained from West Bengal Pollution Control Board (WBPCB) vide Memo No. 909-2N-226/2006 (E) dated 06-10-2015.
- Accordingly, 1x10T & 1x15T Induction Furnaces were commissioned & Consent to Operate (CTO) was also obtained from WBPCB for production of 90,000 TPA Billets.
- Presently, the company is involved in production of 1,40,400 TPA Billets from (2x7T) + (1x10T + 1x15T) Induction Furnaces at village: Palitpur, Mouza: Mirzapur, District: Burdwan in West Bengal.
- A Rolling mill is also present in the project site for production of 1,38,000 TPA TMT Bars & Sectional Steel from Hot billets of CCM (vide NOC Memo No. 535-7/WPBD/CONT(4992)/12 dated 23-8-2018 and CTO Memo No. 589-dr-co-s/12/0063 dated 11-1-2019 and valid upto 30.09.2023).
- Valid CTO is available for the total project vide Consent letter No. CO23381, Memo No. 54-7/WPBD-cont(4992)/12 dated 17.01.2022 valid upto 30.09.2023.
- There was change in the company name from **M/s BRGD Ingot Pvt. Ltd.** to **M/s HMB Ispat Pvt. Ltd.**
- An application was made for transfer of the EC obtained in the name of M/s BRGD Ingot Pvt. Ltd. on 27th August, 2015.
- Name changed EC in the name of M/s HMB Ispat Pvt. Ltd. was obtained vide EC File No. J-11011/258/2012-IA.II(I) on 25th April, 2022 wherein it was stated that M/s HMB Ispat Pvt. Ltd. shall comply with all the specific and general conditions stipulated in the EC letter dated 27th August, 2015.

Thus, overall scenario of the project is as follows,

EXISTING UNITS

Sl. No.	UNIT	EXISTING CAPACITY	PRODUCT
1.	2x7T + 1X10T + 1x15T Induction Furnaces with matching LRF & CCM	1,40,400 TPA	Billets
2.	Rolling Mill	1,38,000 TPA	TMT Bars & Sectional Steel

The compliance status of the special conditions and general conditions, as issued by MoEF&CC in the above mentioned Environmental Clearance is discussed below:

SPECIFIC CONDITIONS OF EC DATED 27-08-2015

Sl. No.	SPECIFIC CONDITIONS	Reply
i.	The project proponent should install 24x7 air and water monitoring devices to monitor air emission and effluent discharge, as provided by CPCB and submit report to Ministry and its Regional Office.	Emission from 2x7 T + 1x10 T + 1x15 T Induction Furnaces is discharged through two stacks. Dust monitor has been installed in the plant premises. Photographs have been attached as Annexure-1 . The plant is designed as a zero discharge plant as far as the process effluent are concerned. The waste water from cooling tower is recirculated through cooling and treatment for all Induction Furnaces & Rolling Mill. The treated waste water is being used for various purposes inside the plant.
ii.	Prior clearance from the Standing Committee of the National Board for Wildlife shall be obtained due to location of the plant in the buffer zone of Ramnabagan Wildlife Sanctuary, before commencing any expansion activity relating to the project at site. All the conditions stipulated by the Standing Committee shall be effectively implemented in the project. It shall be noted that this clearance does not	Clearance letter from the Principal Chief Conservator of Forests, Wildlife & Chief Wildlife Warden, West Bengal has been obtained vide Memo No. 465/WL/2W-682/2021 dated 28.02.2022. Copy of the letter has been attached as Annexure-2 .

	necessarily implies that wildlife clearance shall be granted to the project and that your proposal for wildlife clearance shall be considered by the component authorities on its merit and decision taken. The investment made in the project, if any based on environmental clearance granted to the project, in anticipation of the clearance from wildlife clearance shall be entirely at the cost and risk of the project proponent and Ministry of Environment, Forest and Climate Change shall not be responsible in this regard, if any manner.	
iii.	Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm ³ and installing energy efficient technologies in the Plant.	One stack of adequate height is installed with (1x10T + 1x15T) Induction Furnaces. Bag filter is installed to arrest particulate matters, generating from the induction furnaces within the level of 50 mg/Nm ³ . Fugitive emissions inside the plant area is controlled by sprinkling of water. Fugitive emission monitoring reports for the period April, 2023 to September, 2023 have been attached as Annexure-3 .
iv.	On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30 th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB shall be followed.	Two numbers of Continuous stack monitoring systems with the two stacks of induction furnaces have been already installed. The Company has communicated with CPCB, New Delhi vide email for Online Connection of the already installed two nos. of online stack monitoring systems with the CPCB server. The copy of the said email has been attached as Annexure-4 . Emission from all Induction Furnaces is discharged through two stacks. Dust monitor has been installed in the plant premises. Photographs have been attached as Annexure-1 . Bag filter is installed to arrest particulate matters, generating from the induction furnace within the level of 50 mg/Nm ³ . Fugitive emissions inside the plant area is

		controlled by sprinkling of water. Fugitive emission monitoring reports for the period April, 2023 to September, 2023 have been attached as Annexure-3 .
v.	Dust suppression system and bag filters shall be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points.	Already discussed above.
vi.	Water consumption shall not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations shall be met from rainwater stored in rainwater harvesting structures.	Total water requirement (as per the CREP standard prescribed for the steel plant) for all Induction Furnaces & Rolling Mill is being sourced from Deep tube well. Groundwater abstraction permission has been obtained and attached as Annexure-5 . Collected rain water will be used for different purposes within the plant area.
vii.	Rainwater harvesting scheme shall be prepared so that the rainwater can be collected, re-used and may be used for ground water recharge. The concrete drains shall be de-silted and regular supervision of the areas shall be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts shall further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement.	A complete Rainwater Harvesting system has been implemented within the project site. To avoid blocking of the concrete drains regular supervision will be carried out for quick discharge of rainwater. The collected rain water will be used for different purposes within the plant area. Photograph of rainwater harvesting pond has been attached as Annexure-6 .
viii.	Greenbelt of approximately 15-20 meter width consisting of a 3-tier of trees consisting of species with thick canopy shall be developed all along the periphery of the plant, roads, vacant spaces, transfer points, etc as per of 33% of total plant area.	Around 2.0 acres (33% of total plant area) of land has been earmarked for Green Belt Development within the plant site. Green Belt development has already been completed. Photographs of greenbelt have been attached as Annexure-7 .
ix.	All the effluents shall be treated and reused for dust suppression/green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted.	The plant is designed based on zero discharge concept. The waste water from cooling tower is recirculated through cooling and treatment. The treated waste water is being used in dust suppression & Greenery

		purpose within the plant premises.
x.	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding shall be submitted to the Ministry's Regional Office at Bhubaneswar.	No fly ash is generated from the process. Only Induction furnace slag is generated from the process which is being used in land filling and road construction purposes.
xi.	Hazardous materials required during construction phase and in plant operations shall be stored properly as per the regulations and reused/recycled as per the E(P)A Rules.	Construction phase for 1x10 T + 1x15 T Induction Furnaces is over. The hazardous waste generation from the factory in operational phase is Used / Spent Oil. Such oils removed from machineries, gear boxes, compressors etc. and sludge is collected in drums and temporarily stored in specifically earmarked areas. They are disposed through the approved agencies by SPCB / CPCB.
xii.	Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Construction phase for 1x10 T + 1x15 T Induction Furnaces is over.
xiii.	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and implemented.	The mitigation measures against "Risk and Disaster Management Plan" as mentioned in the EIA Report are being maintained in the plant area.
xiv.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.	Relevant norms and measures w.r.t. CREP guidelines for steel plant is complied with.
xv.	All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	The following issues were raised during Public Hearing for the project held on 27 th February, 2014. i) Employment generation ii) Air Pollution Control Measures iii) Green Belt Development iv) Road Maintenance in nearby villages v) CSR Activities

		<p>In connection with the above mentioned issues as well as various other issues based on the need of the locals, the Project Proponent has taken a number of initiatives. In this context the company has already provided employment to 500 numbers of local persons in the existing project till date.</p> <p>Adequate control measures like bag filters, dust suppression system & Stack of adequate height at relevant point is already installed to maintain the emission within 50 mg/Nm³ from the existing project. Besides, to monitor stacks emission the PP has already installed Continuous stack monitoring systems within the plant premises.</p> <p>As per EC 2015, 2.0 acres (33% of total plant area 5.83 acres) of land has been developed with Green Belt within the existing plant site where around 1500 number of trees have been planted.</p> <p>The slag generated from the Induction Furnaces is being utilized for making the roads in the nearby villages i.e. Mongira, Belkash etc..</p> <p>Under CER activities, the company has undertaken various community development programmes like development/maintenance of village roads, renovation of local school building(s), Provision of computers in schools, Organizing Health check-up camps, Donation of books to local schools in surrounding villages etc.</p> <p>The details of expenditure in the last three years on CER activities are presented below,</p> <p>Rs. in Lakhs</p> <table border="1"> <thead> <tr> <th>Activities</th> <th>2021-22</th> <th>2022-23</th> <th>2023-24</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Activities	2021-22	2022-23	2023-24				
Activities	2021-22	2022-23	2023-24							

		<table border="1"> <tbody> <tr> <td>Renovation of Local Mandir</td> <td>--</td> <td>--</td> <td>35.0</td> </tr> <tr> <td>Support to Hospitals</td> <td>36.39</td> <td>47.53</td> <td>37.5</td> </tr> <tr> <td>CSR Approved Project</td> <td>0.8</td> <td>19.13</td> <td>1.0</td> </tr> <tr> <td>Health Camp & Medical Support</td> <td>5.0</td> <td>7.0</td> <td>8.0</td> </tr> <tr> <td>Road maintenance in the nearby villages using Induction Furnace Slag</td> <td>10.0</td> <td>15.0</td> <td>17.0</td> </tr> <tr> <td>Total (Rs. in Lakhs)</td> <td>52.19</td> <td>88.66</td> <td>98.5</td> </tr> </tbody> </table> <p>The relevant photographs on CER activities are enclosed as Annexure-8.</p>	Renovation of Local Mandir	--	--	35.0	Support to Hospitals	36.39	47.53	37.5	CSR Approved Project	0.8	19.13	1.0	Health Camp & Medical Support	5.0	7.0	8.0	Road maintenance in the nearby villages using Induction Furnace Slag	10.0	15.0	17.0	Total (Rs. in Lakhs)	52.19	88.66	98.5
Renovation of Local Mandir	--	--	35.0																							
Support to Hospitals	36.39	47.53	37.5																							
CSR Approved Project	0.8	19.13	1.0																							
Health Camp & Medical Support	5.0	7.0	8.0																							
Road maintenance in the nearby villages using Induction Furnace Slag	10.0	15.0	17.0																							
Total (Rs. in Lakhs)	52.19	88.66	98.5																							
xvi.	All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company.	<p>➤ All the permanent workers are covered under ESI Scheme.</p> <p>➤ The company have the provision for treatment of its workers at the local Nursing Home (Kalyani Nursing Home & Lifetime Nursing Home) & Hospital (Burdwan Medical College & Hospital) in case of emergency.</p> <p>Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. are conducted among the employees of the Company.</p>																								
xvii.	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc.)	<p>The company has earmarked Rs. 98.5 Crores during the financial year 2023 - 2024, for carrying out CER activities.</p> <p>Documents and photographs of CER activities carried out have been presented as Annexure-8.</p>																								

	<p>activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, at Bhubaneswar. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.</p>	
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

GENERAL CONDITIONS OF EC DATED 27-08-2015

SL. NO.	GENERAL CONDITIONS	REPLY
i.	The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.	Stipulations laid down by the West Bengal Pollution Control Board are being followed.
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	There will be no modification or expansion of the unit shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
iii.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.	Ambient Air Quality is monitored for the period of April, 2023 to September, 2023 in & around the project site. Air quality data is enclosed as Annexure-9 .


iv.	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.	The plant is designed as a zero discharge plant as far as the process effluent are concerned. The waste water from cooling tower is recirculated through cooling and treatment. The treated waste water is being used for various purposes inside the plant.
v.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time and 70 dBA (night time).	Appropriate noise control measures in the form of silencers, sound proof enclosures etc. is installed to control noise pollution. Noise level at different locations are being monitored on regular basis. Monitored results for the period April, 2023 to September, 2023 is attached as Annexure-10 .
vi.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Already discussed above.
vii.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	A complete Rainwater Harvesting system has been implemented within the project site. To avoid blocking of the concrete drains regular supervision will be carried out for quick discharge of rainwater. The collected rain water will be used for different purposes within the plant area. Photograph of rainwater harvesting pond has been attached as Annexure-6 . Provision for ground water recharging is not made as ground water recharging is not allowed by WBPCB.
viii.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company has complied all the environmental protection measures and safeguards recommended in the EIA/EMP report. The company has earmarked Rs. 98.5 Crores during the financial year 2023 - 2024, for carrying out CER activities. Documents and photographs of CER activities carried out have been presented as Annexure-8 .

ix.	<p>Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.</p>	<p>Rs. 105 Lakhs has been considered for investment by the company towards capital cost for environment pollution control measures for the project.</p> <p>There is a recurring cost of around Rs. 15 Lakhs for environmental management & pollution control equipment.</p> <p>The earmarked funds are not used for any other purposes other than pollution control efforts as stated above.</p>
x.	<p>A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.</p>	<p>Complied.</p> <p>Copy of the clearance letter has been uploaded on the website of the company.</p>
xi.	<p>The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEFCC at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>	<p>Status of compliance of the stipulated environment clearance conditions, including results of monitored data have been uploaded on the website of the company and shall be updated periodically. Compliance Report is submitted to the Regional Office of MoEF&CC. The monitored values of PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) are displayed near the main gate of the project site.</p>
xii.	<p>The project proponent shall also submit six monthly reports on the status of the</p>	<p>This Compliance Report is being submitted to the Integrated Regional Office of</p>

	compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and the SPCB. The regional Office of this Ministry at Bhubaneswar/ CPCB/ SPCB shall monitor the stipulated conditions.	MoEF&CC, Kolkata.
xiii.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC at Bhubaneswar by e-mail.	Environmental statement for each financial year ending 31 st March in Form-V is prepared and submitted. Copy of Form-V is attached as Annexure-11 .
xiv.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forest and Climate Change (MoEFCC) at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.	Complied. Advertisement w.r.t. Environmental Clearance had been done in English & Bengali newspapers (refer Annexure-12).
xv.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned	All the proposed units as per EC dated 27 th August, 2015 have been installed & are under operation.

	authorities and the date of commencing the land development work.	
--	-------------------------------------------------------------------	--

PHOTOGRAPHS OF DUST MONITOR





**GOVERNMENT OF WEST BENGAL
DIRECTORATE OF FORESTS**



Office of the Principal Chief Conservator of Forests (Wildlife)
& Chief Wildlife Warden, West Bengal

Bikash Bhawan, North Block, Third Floor, Saltlake City, Kolkata - 700 091.

Tel No. 2334-6900/2358-3208, Fax. 91-033-2334-5946

E-mail: pccfwl-wb@nic.in/pccfwloffice.fd-wb@bangla.gov.in, Visit us at www.wildbengal.com

Memo No.: 465/ WL/ 2W-682/ 2021

Date: 28 / 02 / 2022

To: The President
M/s BRGD Ingot Pvt. Ltd
Block - C, Flat No. 201, 2nd Floor,
4 Debendra Lal Khan Road, Kolkata - 700 025.

Sub: Proposed expansion plan of Steel Melting Shop unit in the existing Steel Plant at Purba Burdwan in West Bengal by M/s BRGD Ingot Pvt. Ltd. - Reg.


Ref: Your application dated 14/07/2021.

Sir,

With reference to the subject and application cited above,

1. The proposed expansion plan of steel melting shop unit by M/s BRGD Ingot Pvt. Ltd. at village Palitpur, P.O. & Mouza Mirzapur, District Purba Burdwan is located at an aerial distance of 3.6 km from the Ramnabagan Wildlife Sanctuary.
2. No demarcation into core and buffer zone exists as per approved management plan of Ramnabagan Wildlife Sanctuary of Burdwan Division (2001-2002 to 2011-2012) and draft management plan 2012-2013 to 2022-2023.
3. The proposed expansion plan of steel melting shop unit in the existing steel plant at village Palitpur, Post & Mouza Mirzapur in Purba Burdwan District by M/s BRGD Ingot Pvt. Ltd. does not fall within the notified Eco-Sensitive Zone of the Ramnabagan Wildlife Sanctuary.

Yours faithfully,


 (Debal Ray)

Principal Chief Conservator of Forests, Wildlife
& Chief Wildlife Warden, West Bengal

Memo No.: 465/ WL/ 2W-682/ 2021

Date: 28 / 02 / 2022

Copy forwarded for information to:-

1. The CCF, South- East Circle, West Bengal.
2. The DFO, Burdwan Division, West Bengal.


 (Debal Ray)

Principal Chief Conservator of Forests, Wildlife
& Chief Wildlife Warden, West Bengal

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

Annexure - 3

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 1				
Fugitive Emission Monitoring Results				
Location		Near Steel Melting Shop		
(Period: April, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.04.2023	121	54	18	23
07.04.2023	132	58	14	32
11.04.2023	152	70	13	31
14.04.2023	120	47	14	26
18.04.2023	143	67	20	30
21.04.2023	135	54	15	28
25.04.2023	148	67	16	38
29.04.2023	156	70	22	29

TABLE: - 2				
Fugitive Emission Monitoring Results				
Location		Near Boundary wall on NE Side		
(Period: April, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.04.2023	115	45	18	27
07.04.2023	105	44	12	25
11.04.2023	130	53	14	28
14.04.2023	126	49	15	24
18.04.2023	112	48	12	22
21.04.2023	142	57	18	25
25.04.2023	113	43	16	30
29.04.2023	126	55	18	20

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 3				
Fugitive Emission Monitoring Results				
Location Near Raw Materials Yard				
(Period: April, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.04.2023	132	55	19	28
07.04.2023	154	74	15	22
11.04.2023	126	54	16	36
14.04.2023	142	65	20	20
18.04.2023	110	50	12	28
21.04.2023	140	69	14	32
25.04.2023	135	59	14	22
29.04.2023	147	68	15	19

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 4				
Fugitive Emission Monitoring Results				
Location		Near Steel Melting Shop		
(Period: May, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.05.2023	170	78	19	31
06.05.2023	135	58	16	27
10.05.2023	148	56	15	42
15.05.2023	172	77	20	35
18.05.2023	141	59	15	27
22.05.2023	156	62	18	31
26.05.2023	128	55	20	25
30.05.2023	164	71	18	30

TABLE: - 5				
Fugitive Emission Monitoring Results				
Location		Near Boundary wall on NE Side		
(Period: May, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.05.2023	133	55	14	25
06.05.2023	108	46	13	32
10.05.2023	128	51	15	26
15.05.2023	124	52	17	18
18.05.2023	111	46	15	24
22.05.2023	136	56	19	25
26.05.2023	125	54	14	30
30.05.2023	148	62	16	27

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 6				
Fugitive Emission Monitoring Results				
Location		Near Raw Materials Yard		
(Period: May, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.05.2023	112	52	20	27
06.05.2023	156	73	18	23
10.05.2023	128	55	19	33
15.05.2023	170	78	16	25
18.05.2023	150	63	15	21
22.05.2023	128	55	14	19
26.05.2023	126	54	13	29
30.05.2023	132	62	19	23

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 7				
Fugitive Emission Monitoring Results				
Location Near Steel Melting Shop				
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.06.2023	153	67	15	34
06.06.2023	166	70	14	38
10.06.2023	126	53	19	30
14.06.2023	154	63	13	32
19.06.2023	140	64	26	30
22.06.2023	168	74	12	31
26.06.2023	125	53	16	29
30.06.2023	145	59	24	36

TABLE: - 8				
Fugitive Emission Monitoring Results				
Location Near Boundary wall on NE Side				
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.06.2023	112	44	16	24
06.06.2023	122	52	12	25
10.06.2023	134	55	13	18
14.06.2023	126	50	18	20
19.06.2023	132	45	12	32
22.06.2023	124	48	16	26
26.06.2023	132	55	14	18
30.06.2023	140	62	15	32

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 9				
Fugitive Emission Monitoring Results				
Location Near Raw Materials Yard				
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.06.2023	154	63	17	31
06.06.2023	162	78	20	19
10.06.2023	119	50	18	30
14.06.2023	144	58	14	23
19.06.2023	135	58	15	28
22.06.2023	168	71	16	32
26.06.2023	126	55	21	28
30.06.2023	145	58	18	22

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Table-10		Statistical Analysis of Pollutants (Period: April, 2023 to June, 2023)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM ₁₀ (µg/m ³)	Near Steel Melting Shop	24	120	172	145.8	171.1
	Near Boundary wall on NE Side	24	105	148	125.2	145.2
	Near Raw Materials Yard	24	110	170	139.2	169.1
	Overall	72	105	172	136.7	-
PM _{2.5} (µg/m ³)	Near Steel Melting Shop	24	47	78	62.8	77.8
	Near Boundary wall on NE Side	24	43	62	51.2	61.9
	Near Raw Materials Yard	24	50	78	61.5	78.0
	Overall	72	43	78	58.5	-
SO ₂ (µg/m ³)	Near Steel Melting Shop	24	12	26	17.2	25.1
	Near Boundary wall on NE Side	24	12	19	15.1	18.5
	Near Raw Materials Yard	24	12	21	16.6	20.5
	Overall	72	12	26	16.3	-
NO ₂ (µg/m ³)	Near Steel Melting Shop	24	23	42	31.0	40.2
	Near Boundary wall on NE Side	24	18	32	25.1	32.0
	Near Raw Materials Yard	24	19	36	25.8	34.6
	Overall	72	18	42	27.3	-

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403





Envirofotech East Pvt. Limited



An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET

100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 11				
Fugitive Emission Monitoring Results				
Location Near Steel Melting Shop				
(Period: July, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.07.2023	113	41	16	25
07.07.2023	128	55	10	22
11.07.2023	120	44	11	21
14.07.2023	102	42	12	25
18.07.2023	100	44	18	26
22.07.2023	112	45	10	20
25.07.2023	101	43	12	19
29.07.2023	119	50	11	18

TABLE: - 12				
Fugitive Emission Monitoring Results				
Location Near Boundary wall on NE Side				
(Period: July, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.07.2023	102	37	13	21
07.07.2023	112	49	12	19
11.07.2023	98	36	11	23
14.07.2023	101	42	15	18
18.07.2023	96	38	14	25
22.07.2023	110	47	16	20
25.07.2023	120	47	10	30
29.07.2023	111	42	12	24

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 13				
Fugitive Emission Monitoring Results				
Location Near Raw Materials Yard				
(Period: July, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.07.2023	116	50	14	20
07.07.2023	105	41	15	22
11.07.2023	122	51	17	18
14.07.2023	104	38	15	26
18.07.2023	126	43	18	19
22.07.2023	120	53	16	23
25.07.2023	124	55	14	21
29.07.2023	110	47	13	20

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 14				
Fugitive Emission Monitoring Results				
Location		Near Steel Melting Shop		
(Period: August, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.08.2023	122	51	10	23
07.08.2023	111	44	12	24
11.08.2023	130	52	14	31
16.08.2023	105	38	15	30
19.08.2023	126	53	9	23
22.08.2023	118	50	10	24
26.08.2023	126	54	12	22
30.08.2023	98	43	10	27

TABLE: - 15				
Fugitive Emission Monitoring Results				
Location		Near Boundary wall on NE Side		
(Period: August, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.08.2023	104	43	9	26
07.08.2023	95	39	11	28
11.08.2023	120	52	12	23
16.08.2023	100	42	10	20
19.08.2023	108	43	13	26
22.08.2023	104	45	12	22
26.08.2023	96	36	10	25
30.08.2023	121	53	14	19

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 16				
Fugitive Emission Monitoring Results				
Location		Near Raw Materials Yard		
(Period: August, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)	($\mu\text{g}/\text{m}^3$)
02.08.2023	115	48	11	21
07.08.2023	108	38	15	19
11.08.2023	118	45	12	18
16.08.2023	102	37	13	24
19.08.2023	114	39	14	18
22.08.2023	120	42	12	21
26.08.2023	123	48	13	17
30.08.2023	128	56	16	24

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 17				
Fugitive Emission Monitoring Results				
Location Near Steel Melting Shop				
(Period: September, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.09.2023	118	48	13	26
08.09.2023	128	55	12	24
12.09.2023	130	55	10	21
16.09.2023	129	58	9	22
19.09.2023	119	49	12	19
22.09.2023	99	41	10	25
25.09.2023	120	53	11	21
29.09.2023	116	50	13	22

TABLE: - 18				
Fugitive Emission Monitoring Results				
Location Near Boundary wall on NE Side				
(Period: September, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.09.2023	97	40	15	18
08.09.2023	118	50	13	20
12.09.2023	102	39	11	17
16.09.2023	95	33	9	18
19.09.2023	113	46	10	23
22.09.2023	123	53	8	19
25.09.2023	98	38	9	25
29.09.2023	95	36	14	26

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 19				
Fugitive Emission Monitoring Results				
Location Near Raw Materials Yard				
(Period: September, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.09.2023	105	44	17	22
08.09.2023	108	41	18	26
12.09.2023	110	45	15	22
16.09.2023	121	51	16	27
19.09.2023	122	52	14	21
22.09.2023	107	41	20	25
25.09.2023	127	57	18	24
29.09.2023	98	40	16	20

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

FUGITIVE EMISSION MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Table-20		Statistical Analysis of Pollutants (Period: July, 2023 to September, 2023)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM ₁₀ (µg/m ³)	Near Steel Melting Shop	24	98	130	116.3	130.0
	Near Boundary wall on NE Side	24	95	123	105.8	122.1
	Near Raw Materials Yard	24	98	128	114.7	127.5
	Overall	72	95	130	112.3	-
PM _{2.5} (µg/m ³)	Near Steel Melting Shop	24	38	58	48.2	56.7
	Near Boundary wall on NE Side	24	33	53	42.8	53.1
	Near Raw Materials Yard	24	37	57	45.9	56.8
	Overall	72	33	58	45.7	-
SO ₂ (µg/m ³)	Near Steel Melting Shop	24	9	18	11.8	17.1
	Near Boundary wall on NE Side	24	8	16	11.8	15.5
	Near Raw Materials Yard	24	11	20	15.1	19.1
	Overall	72	8	20	12.9	-
NO ₂ (µg/m ³)	Near Steel Melting Shop	24	18	31	23.3	30.5
	Near Boundary wall on NE Side	24	17	30	22.3	29.1
	Near Raw Materials Yard	24	17	27	21.6	26.5
	Overall	72	17	31	22.4	-

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirofotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accredited by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata - 700 107, West Bengal, India

☎ - + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



From: Pankaj Jain
Sent: 26 February 2024 15:08
To: cems.cpcb@nic.in
Cc: sharandeep.cpcb@nic.in
Subject: HMB ISPAT PRIVATE LIMITED - Regarding Online Connection of the already installed two nos. of online stack monitoring systems with the CPCB server

To,
The Member Secretary,
Central Pollution Control Board,
Online Monitoring of Industrial Emission & Effluent Cell,
Parivesh Bhawan, East Arjun Nagar,
Delhi - 110032

Refer MoEF&CC EC File No. J-11011/258/2012-IA II (I) dated 27th August, 2015 and EC File No. J-11011/258/2012-IA.II(I) dated 25th April, 2022.

Respected Sir,

This is for your kind information that M/s HMB Ispat Pvt. Ltd. is operating one steel plant with four numbers of Induction Furnaces (2x7 T + 1x15 T + 1x10 T) along with Hot Rolling Mill at village: Palitpur, Mouza & P.O. : Mirzapur, District: Purba Burdwan in West Bengal. As per one of the EC conditions (Specific Condition-iv), we have installed two numbers of Continuous stack monitoring systems with the two stacks of induction furnaces, which need to be connected with the CPCB server.

Now, to comply with the said EC condition, we request you to arrange for connecting our already installed online Continuous stack monitoring systems with the CPCB server. In this connection, we need your valuable guidance pertaining to the overall procedure.

Your kind co-operation in this regard will be highly appreciated.

Thanking you,

Yours sincerely,
for M/s HMB Ispat Private Limited .
Pankaj jain

FORM 4

[See Rules 9(3) and 10(5)]

008602

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources
(Management, Control and Regulation) Act 2005.]PERMIT NO. **P02 BT 074 00074 0000 01 TSC**

1. (a) Name of the applicant (user) : Shri/Smt. RAJEEV KANODIA (Director).
 (b) Son / Daughter of : Sri. Gopal Krishna Kanodia.
 (c) Address of the applicant : BRED INGOT Pvt. Ltd., P.O.-Mirzapur Palitpur,
 Dewandighi, Burdwan-713102.
 (d) Category of farmer (Please tick) : Small Farmer / Marginal Farmer / Others ✓
 (in case of irrigation well)
 (e) Serial No. of application Form : BP 0118, Sl. No. 28, 06.09.2007.
 and date of submission : A
 (f) Specimen signature of the user : Rajeev Kanodia
2. Location particulars---
 (a) District : Burdwan.
 (b) Block, Mouza, J. L. No., Plot No. : Burdwan-I, Mirzapur, 066, 74.
 (c) Municipality / Corporation :
 Ward No. / Borough No., Holding No. : N. A.
3. Particulars of the proposed well and pumping device---
 (a) Type of the well : Tube well.
 (b) Approx. depth of the well (m) : 61 m, (200ft.)
 (c) Purpose of the well : Industrial and domestic.
 (d) Assembly size (for tube well) : 150 mm. X 100 mm.
 (e) Approx. strainer length (for tube well) : 12 m.
 (f) Diameter (for dug well) : N. A. m.
 (g) Type of pump to be used : Submersible.
 (h) H. P. of the pump : 3.5 H.P.
 (i) Operational device : Electric motor.
 (j) Rate of withdrawal (m³/hr.) : 25 m³/hour.
 (k) Maximum allowable running hours per day : 4 hours.

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place: Burdwan.Date: 29.11.2007.

S. G. Ghosh
 29.11.07
 Signature of the Issuing Authority
 Geologist & Member, Secretary
 District Level Ground Water Authority
 Burdwan

Conditions:

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.



FORM 4

[See Rules 9(3) and 10(5)]


008616

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

PERMIT NO **P0207064 00056 00000 04 TSE.**

1. (a) Name of the applicant (user) : Shri/Smt. **RAJEEV KANODIA, Director**
- (b) Son / Daughter of : **BREG INGOT PVT. LTD.**
- (c) Address of the applicant : **Gopal Krishna Kanodia,**
- (d) Category of farmer (Please tick) : **VII - Palitpur, PO - Mirzapur, Dewandighi, Burdwan.**
- (in case of irrigation well) : **Small Farmer / Marginal Farmer / Others**
- (e) Serial No. of application Form : **BP 0118 No. 72 Dtd. 20.12.07.**
- and date of submission : **A**
- (f) Specimen signature of the user : 
2. Location particulars—
- (a) District : **Burdwan.**
- (b) Block, Mouza, J. L. No., Plot No. : **Burdwan-I, Mirzapur, 066, 56.**
- (c) Municipality / Corporation : **N.A.**
- Ward No. / Borough No., Holding No.
3. Particulars of the proposed well and pumping device—
- (a) Type of the well : **Tube well.**
- (b) Approx. depth of the well (m) : **60 m. (200 ft.)**
- (c) Purpose of the well : **Industrial & domestic.**
- (d) Assembly size (for tube well) : **152 mm. X 100 mm.**
- (e) Approx. strainer length (for tube well) : **12.0 m.**
- (f) Diameter (for dug well) : **N.A. m.**
- (g) Type of pump to be used : **Submersible.**
- (h) H.P. of the pump : **3.5 H.P.**
- (i) Operational device : **Electric motor.**
- (j) Rate of withdrawal (m³/hr.) : **25 m³/h.**
- (k) Maximum allowable running hours per day : **4 hours/day.**

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours/day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : **Burdwan.**

Date : **14.03.2008.**




 14/3/08
 Signature of the Issuing Authority
Geologist & Member Secretary
 District Level Ground Water Authority
 Burdwan

Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.



FORM 4

[See Rules 9(3) and 10(5)]

066701

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL**P - 1613** [U/S 7(3)(b)/7(4)(b)/7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]PERMIT NO **P020705500000007501TSE**

1. (a) Name of the applicant (user) : **Shri/Smt. BRGD INGOT PVT. LIMITED.**
- (b) Son/Daughter of : **PALITPUR ROAD, MIRJAPUR, BURDWAN-713102**
- (c) Address of the applicant : **Small Farmer / Marginal Farmer / Others**
- (d) Category of farmer (Please tick) (in case of irrigation well) : **Small Farmer / Marginal Farmer / Others**
- (e) Serial No. of application Form and date of submission : **BP/A0507, SL. NO. 78; Dt. 09.11.2015**
- (f) Specimen signature of the user : **Manju Bera**
2. Location particulars--
 - (a) District : **BURDWAN**
 - (b) Block, Mouza, J. L. No., Plot No. : **BURDWAN - I, MIRJAPUR, 066, 75 [RS]**
 - (c) Municipality / Corporation Ward No. / Borough No., Holding No. :
3. Particulars of the proposed well and pumping device---
 - (a) Type of the well : **TUBEWELL**
 - (b) Approx. depth of the well (m) : **70 m.**
 - (c) Purpose of the well : **INDUSTRIAL**
 - (d) Assembly size (for tube well) : **150 mm. X 100 mm.**
 - (e) Approx. strainer length (for tube well) : **12 m.**
 - (f) Diameter (for dug well) : **m.**
 - (g) Type of pump to be used : **SUBMERSIBLE**
 - (h) H. P. of the pump : **3.5 H.P.**
 - (i) Operational device : **Electric Motor**
 - (j) Rate of withdrawal (m³/hr.) : **20 m³/hr**
 - (k) Maximum allowable running hours per day : **5 Hours/Day**

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place ; **Burdwan**Date : **27/01/2016****OFFICE SEAL**

Signature of the Issuing Authority and Designation.

Geologist Member Secretary,
District Level Ground Water Resource**Conditions :**

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.

N.B: Conditions are imposed on the reverse page of the certificate

OFFICE SEAL

**CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/
INFRASTRUCTURES:**

1. Roof Top Rain Water harvesting for Surface Storage.
2. Excavation of pond of size 150 ft. x 50ft. with 2 m. depth.
3. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
4. The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
5. Arrangement of Water Meter at the outlet of Tube Well discharge to be monitored by Govt. Officials as assigned by DLA.
6. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges/ taxes for draws of ground water on annual basis, should be borne by applications for operating their tube wells in a continuous manner.

Chramanik
27.04.2016
Geologist Member Secretary,
District level Ground, Water Resource
Development Authority, Burdwan

Burdwan

FORM 4

[See Rules 9(3) and 10(5)]


(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

068961

PERMIT FOR SINKING OF NEW WELL

[US 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]


PERMIT NO. P02.07066.000.76.0.0000.01 TSE

1. (a) Name of the applicant (user) : Shri/Smt. HMB Ispat Pvt. Ltd.
- (b) Son/Daughter of : NA
- (c) Address of the applicant : Dewandighi, Mirzapur, Purba Bardhaman
- (d) Category of farmer (Please tick) : Small Farmer / Marginal Farmer / Others
(in case of irrigation well)
- (e) Serial No. of application Form and date of submission : BP/A-0504, SL-NO-90, Dt: 05/12/2022
- (f) Specimen signature of the user : 
2. Location particulars---
 - (a) District : Purba Bardhaman
 - (b) Block, Mouza, J.L. No., Plot No. : Bardhaman - I, Mirzapur, 66, 76
 - (c) Municipality / Corporation : NA
Ward No. / Borough No., Holding No.
3. Particulars of the proposed well and pumping device---
 - (a) Type of the well : Tube well
 - (b) Approx. depth of the well (m) : 71 m.
 - (c) Purpose of the well : Industrial
 - (d) Assembly size (for tube well) : 150 mm X 100 mm.
 - (e) Approx. strainer length (for tube well) : 12 m.
 - (f) Diameter (for dug well) : NA m.
 - (g) Type of pump to be used : Submersible
 - (h) H. P. of the pump : 3.5 HP
 - (i) Operational device : Electric motor
 - (j) Rate of withdrawal (m³/hr.) : 25 m³/hr
 - (k) Maximum allowable running hours per day : 2 Hrs.

This permit authorizes the owner applicant (user) to sink a well in the location specified at S1. (2) for extraction of ground water at a rate not exceeding that as shown at S1. (3) (j) and for running hours / day as shown at S1. (3) (K), and is valid subject to the observance of the conditions stated overleaf.

Place : Burdwan



Date : 02/05/2023


Signature of the Issuing Authority

02/05/2023
Geologist, SWID &
Member Secretary, District Level
Ground Water Resources Development Authority
Purba Bardhaman-713101

Conditions :

- (1) In case of any change of ownership of the proposed well, fresh registration has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at S1. (2) and S1. (3) (j) shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this permit.
- (3) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (4) Any other condition imposed by the concerned Authority.



366

CONDITIONALITIES FOR PACKAGE DRINKING WATER PROJECTS AND INDUSTRIES/ INFRASTRUCTURES:

1. Roof Top Rain Water harvesting for Surface Storage.
2. Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
3. Arrangement of Water Meter at the outlet of Tube Well discharge and Maintain a logbook for installed water meter to be monitored by Govt. Officials as assigned by DLA.

[Handwritten signature]

[Handwritten signature]
02/05/2023
Geologist, SWID &
Member Secretary, District Level
Ground Water Resources Development Authority
Purba Bardhaman-713101



RAINWATER HARVESTING POND IN THE PROJECT SITE



PHOTOGRAPHS OF GREENBELT DEVELOPED WITHIN THE PLANT PREMISES





Government of West Bengal
Office of the Superintendent of Police
Purba Bardhaman

Memo No. 444/TM/BWN

Dated 12/02/2024

To

Shri Dulal Bera

GM-Project, HMB Ispat Privavte Limited,

Palitpur Road, Dewandighi,

Mirzapur(Katwa Road),

Purba Burdwan

713102

Email ID. projects@hmbinddusttries.com / www.hmbgroup.co.in

Sub: Requesting for the civil work at Golapbag Traffic unit for benefit of Public Service & utility of district traffic unit under your CSR head.

In modern era of policing, we do emphasize upon the effective Traffic policing to improve basic policing as well as ensure smooth flow of traffic in a Safe matter by ensuring proper Planning, Engineering, Education and Enforcement in Purba Bardhaman District. We are inclined to construct separate infrastructure for District Traffic Headquarter Office at Golapbag Traffic Office, Burdwan.

As the financial implication to construct the Traffic building at Golapbag Traffic Office, Burdwan, Purba Bardhaman consisting of Traffic Office building and others associated facilities, is substantially high, we are inviting Business Associations to come forward for implementation of the above project.

An estimate for Traffic Office floor tiles and window grills etc. was collected from the construction agency the **Aerie Realtors** which is enclosed. For implementation of above noted project, fund allocation may kindly be made to the aforesaid agency, for carrying out civil work of the project. Funds under CSR head may be utilised for this purpose. The police authority is not responsible regarding allocation of fund by CSR (business associations) to the agency carrying out the civil work of Golapbag traffic unit.

In view of the above, we would request you to join the Purba Bardhaman District Police in implementing the above-mentioned venture for benefit of Public Service & utility of this district.


**Dy. S.P (Traffic),
Purba Bardhaman.**

**Dy. Superintendent of Police, Traffic
Purba Bardhaman**

Enclo: As stated above.



PURBA BARDHAMAN BLOCK-1 I.N.T.T.U.C.

ADDRESS : MONGIRA, PURBA BARDHAMAN, PIN CODE- 713141



BLOCK PRESIDENT BARIN JASH

To

Date : 15.12.2023

HMB Ispat Pvt. Ltd.
Palitpur Road, Dewandighi,
Purba Bardhaman, Pin - 713102

Dear Sir,

Sub : CSR activity by HMB Ispat at Mongira Village


This is to certify that our Mongira village Temple did not have front Atchala Room and villagers and visitors faced real difficulties and inconveniences in Puja occasions particularly in rainy and winter seasons in absence of suitable place for taking shelter.

We heartily express our sincere thanks and gratitude to the HMB Ispat Pvt. Ltd. that on our request they built up the front Corridor Room (Atchala) of our Temple at our Mongira Village and borne the entire expenses as a part of their CSR activities.

We all Villagers are grateful for this benevolent work and wish their growth and success in their future CSR activities.

Thanking you,

Yours faithfully,


(BARIN JASH)

President
I.N.T.T.U.C. Burdwan-I Block



Mob: 083953244 / 7797548727

PURBA BARDHAMAN BLOCK-1 I.N.T.T.U.C.

ADDRESS : MONGIRA, PURBA BARDHAMAN, PIN CODE- 713141



**BLOCK PRESIDENT
BARIN JASH**

To

Date : 20.09.2023

**HMB Ispat Pvt. Ltd.
Palitpur Road, Dewandighi,
Purba Bardhaman, Pin - 713102**

Dear Sir,

Sub : CSR activity by HMB Ispat at Mongira, Palitpur & Belkash Villages

This is to certify that Kutcha inside Roads of our Mongira, Palitpur & Belkash villages due to low land, become muddy, slippery and of horrible condition in rainy season and all villagers face real difficulties and inconveniences in movement through these Roads and in carrying out their daily activities.

We heartily express our sincere thanks and gratitude to the HMB Ispat Pvt. Ltd. that on our request they provided huge quantity of their Slag Dust totally of free expenses to these low land, built up and repaired the required portions of Roads by using their JCBs as a part of their CSR activities.

We all Villagers got really benefitted for these philanthropic work and wish their growth and success in their future CSR activities.

Thanking you,

Yours faithfully,

Barin Jash
(BARIN JASH)

**President
I.N.T.T.U.C. Burdwan-I Block**

Date : 30.12.2022

**Shri Shri Radha Damodar Jau Trust.
Rajganj Mahantasthal, Natunganj,
Rath-Tala, Purba Bardhaman.**

Dear Sir,


Sub : CSR activity by HMB Ispat Pvt. Ltd. at your Radha Damodar Temple

This refers to our discussion in the recent past wherein you informed us that your Radha Damodar Old Temple Building now existed only in the form of dilapidated and ruined condition due to ageing and absence of adequate maintenance for many years which needed urgent care and renovation in order to maintain its proper heritage structure.

We HMB Ispat Pvt. Ltd. heartily express our sincere thanks and gratitude to your Trust that on your request, in order to renovate and restoration of the original structure, we started working on this aspect to re-built up the decayed portion of the Temple with required modification alongwith construction of residential Rooms for accommodation and for this we will bear the entire expenses as a part of our CSR activities.

Thanking you,

Yours faithfully,
For HMB Ispat Pvt. Ltd.



GENERAL MANAGER

Registered Office: "Godrej Genesis" Unit No. - 1103, 11Th Floor,
Plot No. XI - 9, 10, 13 & 14, Block - EP & GP, Sector - V, Salt Lake City, Kolkata - 700091.

PHOTOGRAPHS OF RECEIPTS OF CER ACTIVITIES CARRIED OUT

RAMAKRISHNA MISSION SEVASHRAMA
(A branch centre of Ramakrishna Mission, P.O. Belur Math, Dist. Howrah, West Bengal-711202)
 P.O. Vrindaban, Dist. Mathura-281121 (U.P.)
 Phone : 0565-2442310 • Fax : 0565-2443310
 E-mail : rkmsvmd@gmail.com • Website : www.rkmsvrind.org
 PAN : AAAAR1077P.

No. AL 26416 Dated 31-07-23

RECEIVED with thanks the sum of Rupees Five Lacs Only

by cash/cheque/DD No. DL 13107/23 Bank PNB by NEFT PNB
 from HMB Ispat Private Limited
Godrej Genesis Unit No-1103 11th Floor
Plot No-XI-9, 10, 13 & 14 Block-EP&GP
Sector-V Salt Lake City Kolkata-700091
PAN-AACEB6516F

as donation for Purchase of two Ventilators.

Rs. 5,00,000/- Jalindar Receiver Vinay Kumar Secretary

Donations are exempt from income tax under section 80 G (5) (vi) of Income Tax Act, 1961 vide Provisional Approval No. AAAAR1077PF20214 Dated 28-05-2021 valid for 5 years w.e.f. 01-06-2021 to 31-03-2026

RAMAKRISHNA MISSION SEVASHRAMA
(A branch centre of Ramakrishna Mission, P.O. Belur Math, Dist. Howrah, West Bengal-711202)
 P.O. Vrindaban, Dist. Mathura-281121 (U.P.)
 Phone : 0565-2442310 • Fax : 0565-2443310
 E-mail : rkmsvmd@gmail.com • Website : www.rkmsvrind.org
 PAN : AAAAR1077P.

No. AL 26355 Dated 14/07/23

RECEIVED with thanks the sum of Rupees Twenty Lacs Only

by cash/cheque/DD No. DL 01-07-23 Bank PNB by NEFT PNB 5101
 from HMB Ispat Private Limited
Godrej Genesis Unit No-1103 11th Floor
Plot No-XI-9, 10, 13 & 14 Block-EP&GP
Sector-V Salt Lake City Kolkata-700091
PAN-AACEB6516F

as donation for Purchase of two Ventilators.

Rs. 2,00,00,000/- Jalindar Receiver Vinay Kumar Secretary


Donations are exempt from income tax under section 80 G (5) (vi) of Income Tax Act, 1961 vide Provisional Approval No. AAAAR1077PF20214 Dated 28-05-2021 valid for 5 years w.e.f. 01-06-2021 to 31-03-2026

PAN NO- AAAAW3069J Cash Receipt / Bill / Acknowledgement SL No. 004

WATGUNGE ADOLESCENT IMPROVEMENT ASSOCIATION
 An NGO Devoted for Service to Mankind.
 Regd Add-4/2B Munshigunj Road, Kolkata-700023
 Officiating Address- 34/2B Watgunge Street (K.T. Sarani), Kidderpore, Kolkata-700023
 Contact - 9088898682, 9681068092, Email- waia_4u@yahoo.in,
 Registered under West Bengal Society Registration Act XXVI of 1961 vide no-SO155270 of 2008-2009 &
 FCRA under Ministry of Home Affairs, Govt of India vide no- 147121027 dtd 13th April 2015 & U/S 12AA of IT (Exemption)
 vide certificate no - AAAAW3069JE20159 / 24-09-2021 issued by the O/o the Director of IT (Exemption).
 Bank Accounts (SB)- Indian Bank, Kidderpore Br, -318150221, IFS Code- IDIB000K036
 FCRA Account (SB)- State Bank of India : Ac. No. 40088373799, IFSC Code : SBIN0000691, Branch Code : 00691

Received Rupees Forty thousand only -
 from Mr. / Mrs. / Miss / M/s. HMB ISPAT PVT LTD
of Godrej Genesis Office no-1103 Salt Lake, Kolkata-700091 having his / her PAN No. AACEB6516F
 By Cash / Cheque / Online Bank transfer for Navagraha Bhawan for a Cause

Rs. 40,000/-
 Date 15/01/2023

For, Watgunge Adolescent Improvement Association


This donation is eligible for claim of income Tax exemption U/S 80G(5) VI of IT Act 1961, Vide Certificate issued by the O/o the Director of IT (Exemption) No - AAAAW3069JF20215 dtd 24-09-2021



DASARATHI HAZRA MEMORIAL COLLEGE

BHATAR, PURBA BARDHAMAN, PIN-713125, WEST BENGAL

College Code - 134

ESTD.-2013

Mobile No.-9434867892
8167305526

E-mail id - bhatarcollege@gmail.com

Web Site :- bhatar dhmc.in

Ref. No: DHMC/21/2024

Date: 06.02.2024

To
The General Manager,
HMB Pvt. Ltd,
Palitpur Road, Purba Bardhaman

Sub: Request to supply Slag Dust to our college

Sir,

Most respectfully I am to state that Dasarathi Hazra Memorial College, Bhatar, Purba Bardhaman has been established in the year of 2013. In spite of the grant of the Govt. for the construction of the college building we still have suffered from economic crisis. The infrastructure of the college is still not up to the mark.

In this situation I further inform you that we have some low land in the college premises. The students feel trouble for this. To fill up the low land we badly need slag dust.

In view of the above I request you to supply 02(two) Dumpers of Slag Dust from your end to our college and give support to our students.

Your cordial support in this regard is highly solicited and oblige.

Thanking you,

Yours sincerely,

Principal

Principal
Dasarathi Hazra Memorial College
Bhatar, Purba Bardhaman

1- WB41H-1168

→ sk Samoj

2- WB45-5418

→ sk Farooq



2022, July 15.

N O T I C E

Sub : MEDICAL CAMP – 2 days

All employees, staff members and contractors' employees are hereby informed that **Medical Camp** will be held in our Plant premises on **21st – 22nd July, 2022.**

Date : 21 – 22nd July, 2022

Timing : From 11.00 a.m. to 5.00 p.m.


Venue : 1st Floor Conference Room (Management Building)

Conducted by : ESIC (With collaboration of CHITTRANJAN
ADVANCED MEDICAL REFERRAL INSTITUTE)

All employees, staff members and contractors' employees are advised to appear and attend the camp phase-wise one by one without hampering the production and normal operation of their Departments for free medical camp on the above mentioned date & times.

For HMB ISPAT Pvt. Ltd.

GENERAL MANAGER



Registered Office: "Godrej Genesis" Unit No. - 1103, 11Th Floor,
Plot No. XI - 9, 10, 13 & 14, Block - EP & GP, Sector - V, Salt Lake City, Kolkata - 700091.

2022, July 15.

N O T I C E

Sub : MEDICAL CAMP – 2 days

All employees, staff members and contractors' employees are hereby informed that **Medical Camp** will be held in our Plant premises on **21st – 22nd July, 2022.**

Date : 21 – 22nd July, 2022

Timing : From 11.00 a.m. to 5.00 p.m.


Venue : 1st Floor Conference Room (Management Building)

Conducted by : ESIC (With collaboration of CHITTRANJAN
ADVANCED MEDICAL REFERRAL INSTITUTE)



All employees, staff members and contractors' employees are advised to appear and attend the camp phase-wise one by one without hampering the production and normal operation of their Departments for free medical camp on the above mentioned date & times.

For HMB ISPAT Pvt. Ltd.

GENERAL MANAGER



Registered Office: "Godrej Genesis" Unit No. - 1103, 11Th Floor,
Plot No. XI - 9, 10, 13 & 14, Block - EP & GP, Sector - V, Salt Lake City, Kolkata - 700091.



**MEDICAL CAMP
ORGANIZED BY
HMB ISPAT PVT LTD**

GOVERNMENT OF WEST BENGAL
OFFICE OF THE MEDICAL SUPERINTENDENT-CUM-VICE-PRINCIPAL
BURDWAN MEDICAL COLLEGE HOSPITAL, BURDWAN

Memo No. BMCH/BE/ 319

Dated, Burdwan 31/7/23

To
The Manager
HMB Ispat

Dear Sir,


With reference to your Letter No. _____ Dated 31/7/23

this is for your kind information that a Blood Donation Camp will be held to your Place at Factory Premises, Palitpur and a Medical Team will be reach to your Place on 16/8/23 at about 10.00 AM as desired by you. Provided the Vehicle will be arranged from our end. Total Number of Donors 100 (one hundred)

You are hereby requested to arrange for Bed and Diet for the Donors. The Diet charge @ Rs. 50 (Rupees Ten) only per Donor will be paid by the undersigned at convenient date afterwards.

If no confirmation written (not verbally or phoner) Received from your end on or before _____ the Medical Team will not Proceed.

Medical Officer-in-Charge
BLOOD BANK
Burdwan Medical College Hospital,
Burdwan





State Blood Transfusion Council, West Bengal

Swasthya Bhawan, 1st Floor, Wing - B
GN - 29, Sector - V, Salt Lake, Kolkata - 700 091

CERTIFICATE OF APPRECIATION



We are pleased to appreciate the noble gesture of Shri / Smt
for donating blood voluntarily at Blood Bank / Voluntary Blood Donation Camp organised on20.....
by
at (Camp Site)


in association with State Government Hospital/ Blood Bank

BLOOD BANK
BURDWAN MEDICAL COLLEGE
OPERATING THE SA BARDHANA

Medical Officer in charge

MSVP/Superintendent

Date 20..... Hospital Blood Bank MCH/Hospital



PROGRESS THROUGH EXCELLENCE

CERTIFICATE *Of* APPRECIATION

PRESENTED TO

AT HMB ISPAT PVT. LTD., BURDWAN, BLOOD DONATION CAMP

_____ Date

_____ Signature

Subject: RE: Proposal for Vision Test of employees
Importance: High

Dear Arnab ji

Thank you for your proposal of free eye testing in your factory, but we will organize the particular eye camp after Diwali or in mid of November .

Our instruments set up is not available before Durga Puja.

We will discussed over phone regarding eye camp after Durga Puja.

Regards
Soumitra Parui
Retail:Cluster Head
Himalaya Optical

From: Burdwan [mailto:burdwan@himalayaoptical.co]
Sent: Wednesday, September 20, 2023 1:18 PM
To: 'soumitra' <soumitra@himalayaoptical.co>
Subject: FW: Proposal for Vision Test of employees

From: Ispat HR [mailto:hr1.ispat@hmbindustries.com]
Sent: Wednesday, September 20, 2023 11:23 AM
To: burdwan@himalayaoptical.co
Cc: Dulal Bera
Subject: Proposal for Vision Test of employees

Dear Sir,

This refers to the visit of our representative to your Burdwan centre few days back.

We write to inform you that we M/s HMB Ispat Pvt. Ltd. located at Palitpur Road, Burdwan, intends to conduct vision testing of our employees through your esteemed organisation. Necessary details are given below :-

Sub : Vision Testing of our employees
Date : During mid October, 2023
Venue : at our HMB Ispat premises
No. of employees : Around 1200
No. of days : will be mutually decided based on per day coverage

Necessary infrastructure set up for conducting such vision test will be organised by us in our Factory premises.

We would therefore, request you to let us know your requirements for conducting such test at the earliest please.

Regards,

Arnab Mitra
Manager - HR & IR

Re: Proposal for Vision Test of employees

Ispat HR <hr1.ispat@hmbindustries.com>

Mon 05-Feb-24 5:30 PM

To:soumitra <soumitra@himalayaoptical.co>

Cc:'Burdwan' <burdwan@himalayaoptical.co>

Dear Sir,

Please Send a Certificate for those camp which was held on 20 - 22 Dec 2023 in our plant (HMB ISPAT PVT.LTD) , it's very urgent .So Please send it tomorrow if possible.

Regards,

Arnab Mitra

Manager HR & IR

Sent from [Outlook for Android](#)

From: Ispat HR <hr1.ispat@hmbindustries.com>

Sent: Wednesday, November 29, 2023 1:16:41 PM

To: soumitra <soumitra@himalayaoptical.co>

Cc: 'Burdwan' <burdwan@himalayaoptical.co>

Subject: Re: Proposal for Vision Test of employees

Dear Sir,

This is to confirm that free eye check up camp can be conducted from 20 - 22 nd December, 2023 at our work premises.

As discussed, you are therefore, requested to arrange for the same on the above mentioned dates.

Regards,

Arnab Mitra

Manager HR

From: soumitra <soumitra@himalayaoptical.co>

Sent: Tuesday, November 28, 2023 4:57 PM

To: Ispat HR <hr1.ispat@hmbindustries.com>

Cc: 'Burdwan' <burdwan@himalayaoptical.co>

Subject: RE: Proposal for Vision Test of employees

Dear Arnab ji

Please confirm the below date

20th December to 22nd December 2023

Regards

Soumitra Parui

From: soumitra [mailto:soumitra@himalayaoptical.co]

Sent: Monday, September 25, 2023 3:43 PM

To: 'hr1.ispat@hmbindustries.com' <hr1.ispat@hmbindustries.com>

Cc: 'Burdwan' <burdwan@himalayaoptical.co>



Vision Care On Wheels Program

Registration Form (Please tick where applicable)

Organisation H.P.B. ISPAT PVT LTD. Date 21/12/2023
Name SK. SAPTAB ALI
Residential Address DALITPUR BURDWAN
.....
Designation L.M. Operator Mobile No 8677535842 Date of Birth 31
E-mail

Do you use

Spectacles Contact Lens None

How old are your current spectacles/contact lenses

Less than one year More than one year

How often do you have an eye check up

Once a year Once in two years As and when required Never

Name of your current Optical shop

Level of satisfaction with your current Optical shop

Excellent Satisfied Not satisfied (why)

Have you ever visited Himalaya Optical

Yes No

What is your perception about Himalaya

Remarks / Suggestions:



PHOTOGRAPHS OF EYE CAMP



 क.रा.बी.नि. E.S.I.C.	कर्मचारीराज्यबीमानिगम (श्रमएवंरोजगारमंत्रालय, भारतसरकार) EMPLOYEES' STATE INSURANCE CORPORATION (Ministry of Labour & Employment, Govt. of India) Website : www.esic.nic.in	 सत्यमेव जयते	EMPLOYEES' STATE INSURANCE CORPORATION DCBO-Burdwan Mallick Bhavan 273/1, Khudiram pally PO+Dist- Burdwan PIN- 713101
--------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------

CERTIFICATE OF APPRECIATION

We are pleased to appreciate the noble gesture of HMB ISPAT PVT. LTD. Previously known as BRGD Ingot Pvt. Ltd., Palitpur Road, Dewandighi, Mirzapur, Purba Bardhaman for organizing a voluntary Medical & Eye Check-up camp on 22.07.2022, through Chittaranjan Advanced Referral Institute, Purba Bardhaman. This Social Service shown by your organization towards the needy patients may please be continued.

Dated:-22.07.2022


(BRANCH MANAGER)

शाखा प्रबंधक/ Branch Manager
क.रा.बी. निगम/ESI Corporation
वर्धमान भारत कार्यालय/ Burdwan Br. Office

SHREE RAM SEVA SAMITY TRUST

27, Mackenjee Lane (Near Howrah A.C. Market), Opp. Ghas Bagan Maidan, Howrah - 711 101 (N)

Phone : 033 - 2666 1311 • Cell. : 98310 63492, 98301 72273, 93398 50671

E-mail ID : shreeramsevasamity@gmail.com

Ref. No.....

Date.....

Dated : 13th Feb , 2024

TO WHOM IT MAY CONCERN

We hereby certify that in the FY 2023-24 till date we have received the Donation of Rs. 35,00,000 / - (Rupees Thirty five lakhs only) towards CSR activity from M/s HMB ISPAT PRIVATE LIMITED " having its factory in Dewandighi , Mirzapur , Purba Burdwan - 713102

The above received CSR Donation is being used in the restoration of " Shree Shree Radhadamor Jeeu Temple " situated in Rajganj , Mohantasthal , Purba Burdwan - 713102 .

SHREE RAM SEVA SAMITY TRUST

TRUSTEE

TRUSTEE



SHREE RAM SABHAGAR

12, Harduttrai Chamaria Road, 1st Floor, Howrah - 1



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

Annexure-9

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 1				
Onsite Ambient Air Quality Monitoring Results				
Location Near Main Gate				
(Period: April, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.04.2023	89	41	18	32
08.04.2023	92	36	19	23
12.04.2023	87	41	20	26
17.04.2023	95	38	19	30
21.04.2023	86	39	21	28
24.04.2023	88	40	22	31
27.04.2023	93	43	20	27
29.04.2023	85	37	22	34

TABLE: - 2				
Onsite Ambient Air Quality Monitoring Results				
Location Palitpur				
(Period: April, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.04.2023	96	37	11	28
08.04.2023	80	34	15	30
12.04.2023	93	37	13	34
17.04.2023	87	33	18	37
21.04.2023	97	43	14	31
24.04.2023	85	35	11	37
27.04.2023	89	38	12	33
29.04.2023	80	32	10	28

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 3				
Onsite Ambient Air Quality Monitoring Results				
Location Mirzapur				
(Period: April, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.04.2023	94	39	7	30
08.04.2023	73	30	13	28
12.04.2023	72	31	10	21
17.04.2023	81	32	14	29
21.04.2023	78	35	10	33
24.04.2023	90	36	15	30
27.04.2023	85	39	12	24
29.04.2023	93	37	8	36

TABLE: - 4				
Onsite Ambient Air Quality Monitoring Results				
Location Krishnapur				
(Period: April, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
04.04.2023	96	44	17	36
08.04.2023	89	36	15	40
12.04.2023	79	34	19	35
17.04.2023	82	38	15	27
21.04.2023	92	39	13	36
24.04.2023	88	40	18	38
27.04.2023	77	30	21	34
29.04.2023	84	39	19	22

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 5				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: May, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.05.2023	92	44	14	26
05.05.2023	81	38	13	30
09.05.2023	93	42	17	36
12.05.2023	95	47	15	35
17.05.2023	92	42	11	38
20.05.2023	88	38	16	30
24.05.2023	91	40	15	28
27.05.2023	90	41	12	26

TABLE: - 6				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur		
(Period: May, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.05.2023	94	45	14	38
05.05.2023	80	34	11	28
09.05.2023	83	37	16	32
12.05.2023	92	41	13	41
17.05.2023	77	36	11	36
20.05.2023	86	37	14	32
24.05.2023	75	34	17	40
27.05.2023	89	37	12	30

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 7				
Onsite Ambient Air Quality Monitoring Results				
Location Mirzapur				
(Period: May, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.05.2023	72	33	15	36
05.05.2023	84	37	13	40
09.05.2023	75	35	10	30
12.05.2023	88	38	12	34
17.05.2023	82	39	9	41
20.05.2023	91	40	11	36
24.05.2023	80	39	12	44
27.05.2023	74	34	13	26

TABLE: - 8				
Onsite Ambient Air Quality Monitoring Results				
Location Krishnapur				
(Period: May, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.05.2023	78	37	9	19
05.05.2023	63	29	10	20
09.05.2023	82	37	8	22
12.05.2023	66	31	9	30
17.05.2023	72	35	11	20
20.05.2023	88	40	10	26
24.05.2023	85	36	9	25
27.05.2023	69	31	7	23

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 9				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.06.2023	92	43	16	36
06.06.2023	87	40	21	28
09.06.2023	91	45	15	34
13.06.2023	90	41	14	30
17.06.2023	84	40	12	31
20.06.2023	83	38	17	33
26.06.2023	93	46	20	38
30.06.2023	89	42	15	28

TABLE: - 10				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur		
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.06.2023	88	35	12	26
06.06.2023	76	33	10	33
09.06.2023	87	34	13	22
13.06.2023	90	41	11	28
17.06.2023	89	41	15	23
20.06.2023	72	33	12	27
26.06.2023	80	32	9	34
30.06.2023	86	40	10	21

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 11				
Onsite Ambient Air Quality Monitoring Results				
Location Mirzapur				
(Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.06.2023	82	34	11	31
06.06.2023	76	30	12	28
09.06.2023	70	34	10	34
13.06.2023	88	40	14	28
17.06.2023	80	38	13	33
20.06.2023	94	39	15	26
26.06.2023	73	33	10	24
30.06.2023	81	36	11	27

TABLE: - 12				
Onsite Ambient Air Quality Monitoring Results				
Location Krishnapur				
(Period: Period: June, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.06.2023	79	36	9	31
06.06.2023	91	39	8	28
09.06.2023	75	35	10	27
13.06.2023	86	39	12	25
17.06.2023	90	41	13	23
20.06.2023	73	31	9	32
26.06.2023	77	35	10	20
30.06.2023	80	38	12	22

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 13				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: July, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.07.2023	85	34	19	34
07.07.2023	92	38	17	25
10.07.2023	86	36	20	28
14.07.2023	90	39	23	36
18.07.2023	84	35	15	38
24.07.2023	88	38	21	32
27.07.2023	91	40	16	30
31.07.2023	87	37	18	35

TABLE: - 14				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur		
(Period: July, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.07.2023	89	38	11	27
07.07.2023	76	30	14	30
10.07.2023	87	36	12	34
14.07.2023	84	35	16	38
18.07.2023	90	37	13	31
24.07.2023	85	33	10	33
27.07.2023	83	32	15	32
31.07.2023	75	28	12	24

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 15	
Onsite Ambient Air Quality Monitoring Results	
Location	Mirzapur
(Period: July, 2023)	

DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.07.2023	89	35	9	27
07.07.2023	72	24	12	26
10.07.2023	67	28	10	21
14.07.2023	81	34	13	28
18.07.2023	74	29	11	32
24.07.2023	87	32	14	28
27.07.2023	78	31	10	23
31.07.2023	91	36	8	35

TABLE: - 16				
Onsite Ambient Air Quality Monitoring Results				
Location	Krishnapur			
(Period: July, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.07.2023	92	38	16	34
07.07.2023	85	34	12	29
10.07.2023	72	27	9	24
14.07.2023	75	30	11	26
18.07.2023	90	36	15	32
24.07.2023	82	31	13	27
27.07.2023	77	25	10	25
31.07.2023	86	33	14	30

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 17				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: August, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.08.2023	84	33	13	22
07.08.2023	78	26	11	18
10.08.2023	86	35	12	24
14.08.2023	87	34	14	25
17.08.2023	92	38	10	28
21.08.2023	89	32	11	26
25.08.2023	82	28	9	20
29.08.2023	88	36	15	17

TABLE: - 18				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur		
(Period: August, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
03.08.2023	87	36	14	25
07.08.2023	80	30	12	22
10.08.2023	81	32	11	30
14.08.2023	84	33	12	28
17.08.2023	75	26	13	26
21.08.2023	78	27	9	30
25.08.2023	82	29	10	32
29.08.2023	88	34	15	31

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 19				
Onsite Ambient Air Quality Monitoring Results				
Location Mirzapur				
(Period: August, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.08.2023	68	27	15	24
07.08.2023	78	30	13	35
10.08.2023	69	29	9	29
14.08.2023	82	32	12	32
17.08.2023	74	26	10	30
21.08.2023	84	31	11	34
25.08.2023	76	33	8	31
29.08.2023	72	24	14	27

TABLE: - 20				
Onsite Ambient Air Quality Monitoring Results				
Location Krishnapur				
(Period: August, 2023)				

DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
03.08.2023	75	28	9	18
07.08.2023	66	21	8	16
10.08.2023	81	25	10	20
14.08.2023	69	24	9	22
17.08.2023	73	22	11	23
21.08.2023	87	31	8	25
25.08.2023	82	29	12	24
29.08.2023	72	23	10	21

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

TABLE: - 21				
Onsite Ambient Air Quality Monitoring Results				
Location		Near Main Gate		
(Period: September, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.09.2023	86	31	10	27
06.09.2023	75	23	13	22
11.09.2023	90	35	12	24
14.09.2023	82	28	14	21
18.09.2023	72	24	15	20
22.09.2023	85	30	12	23
26.09.2023	87	32	11	19
30.09.2023	77	29	10	18

TABLE: - 22				
Onsite Ambient Air Quality Monitoring Results				
Location		Palitpur		
(Period: September, 2023)				
DATE	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.09.2023	78	33	11	17
06.09.2023	72	27	9	21
11.09.2023	83	35	12	26
14.09.2023	65	23	10	20
18.09.2023	80	32	8	15
22.09.2023	71	25	12	16
26.09.2023	88	36	11	18
30.09.2023	74	28	9	14

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

TABLE: - 23				
Onsite Ambient Air Quality Monitoring Results				
Location		Mirzapur		
(Period: September, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.09.2023	67	23	9	19
06.09.2023	70	25	11	22
11.09.2023	81	28	10	18
14.09.2023	83	30	12	24
18.09.2023	69	22	11	25
22.09.2023	60	19	10	20
26.09.2023	68	27	8	21
30.09.2023	62	20	9	18

TABLE: - 24				
Onsite Ambient Air Quality Monitoring Results				
Location		Krishnapur		
(Period: September, 2023)				
DATE	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
	(µg/m ³)	(µg/m ³)	(µg/m ³)	(µg/m ³)
02.09.2023	64	22	7	29
06.09.2023	80	30	8	22
11.09.2023	78	31	12	27
14.09.2023	74	26	11	21
18.09.2023	62	20	9	18
22.09.2023	70	18	10	20
26.09.2023	66	21	8	17
30.09.2023	68	24	9	24

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Table-25		Statistical Analysis of Pollutants				
		(Period: April, 2023 to June, 2023)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM₁₀ ($\mu\text{g}/\text{m}^3$)	Near Main Gate	24	81	95	89.4	95.0
	Palitpur	24	72	97	85.5	96.5
	Mirzapur	24	70	94	81.5	94.0
	Krishnapur	24	63	96	80.9	94.2
	Overall	96	63	97	84.3	-
PM_{2.5} ($\mu\text{g}/\text{m}^3$)	Near Main Gate	24	36	47	40.8	46.1
	Palitpur	24	32	45	36.8	44.0
	Mirzapur	24	30	40	35.8	40.3
	Krishnapur	24	29	44	36.1	42.5
	Overall	96	29	47	37.4	-
SO₂ ($\mu\text{g}/\text{m}^3$)	Near Main Gate	24	11	22	16.8	22.0
	Palitpur	24	9	18	12.7	17.5
	Mirzapur	24	7	15	11.7	15.0
	Krishnapur	24	7	21	12.2	20.1
	Overall	96	7	22	13.3	-
NO₂ ($\mu\text{g}/\text{m}^3$)	Near Main Gate	24	23	38	30.8	38.0
	Palitpur	24	21	41	31.2	40.5
	Mirzapur	24	21	44	31.2	42.6
	Krishnapur	24	19	40	27.5	39.1
	Overall	96	19	44	30.2	-

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata - 700 107, West Bengal, India

☎ - + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Enviroftech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accredited by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT AIR QUALITY MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Table - 26		Statistical Analysis of Pollutants				
		(Period: July, 2023 to September, 2023)				
Pollutants	Locations	MES	Min	Max	A.M.	P - 98
PM ₁₀ (µg/m ³)	Near Main Gate	24	72	92	85.1	92.0
	Palitpur	24	65	90	80.6	89.5
	Mirzapur	24	60	91	75.1	90.1
	Krishnapur	24	62	92	76.1	91.1
	Overall		96	60	92	79.2
PM _{2.5} (µg/m ³)	Near Main Gate	24	23	40	32.9	39.5
	Palitpur	24	23	38	31.4	37.5
	Mirzapur	24	19	36	28.1	35.5
	Krishnapur	24	18	38	27.1	37.1
	Overall		96	18	40	29.9
SO ₂ (µg/m ³)	Near Main Gate	24	9	23	14.2	22.1
	Palitpur	24	8	16	11.7	15.5
	Mirzapur	24	8	15	10.8	14.5
	Krishnapur	24	7	16	10.5	15.5
	Overall		96	7	23	11.8
NO ₂ (µg/m ³)	Near Main Gate	24	17	38	25.5	37.1
	Palitpur	24	14	38	25.8	36.2
	Mirzapur	24	18	35	26.2	35.0
	Krishnapur	24	16	34	23.9	33.1
	Overall		96	14	38	25.4

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company



- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403



Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

Annexure - 10

AMBIENT NOISE MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Equivalent Noise Level in the Study Area, in dB(A)

Month: April, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	71.0	62.3
2	Near Raw Materials Yard	73.2	66.1
3	Mirzapur Village	54.7	42.8
4	Palitpur Village	52.6	43.4

Equivalent Noise Level in the Study Area, in dB(A)

Month: May, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	73.7	65.6
2	Near Raw Materials Yard	72.6	63.2
3	Mirzapur Village	53.4	44.3
4	Palitpur Village	51.8	40.9

Equivalent Noise Level in the Study Area, in dB(A)

Month: June, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	72.9	64.2
2	Near Raw Materials Yard	74.2	67.5
3	Mirzapur Village	54.1	41.6
4	Palitpur Village	53.2	40.9

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

AMBIENT NOISE MONITORING RESULTS

Name of Industry	M/s. HMB ISPAT PVT. LTD.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Equivalent Noise Level in the Study Area, in dB(A)

Month: July, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	72.5	64.5
3	Near Raw Materials Yard	74.4	67.0
4	Mirzapur Village	52.3	43.6
6	Palitpur Village	54.1	42.9

Equivalent Noise Level in the Study Area, in dB(A)

Month: August, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	71.9	59.3
3	Near Raw Materials Yard	72.6	66.4
4	Mirzapur Village	50.8	41.2
6	Palitpur Village	53.3	44.3

Equivalent Noise Level in the Study Area, in dB(A)

Month: September, 2023

SL. NO.	Location	DAY TIME	NIGHT TIME
		Leq- dB (A)	Leq- dB (A)
1	Near Main Gate	69.7	57.7
3	Near Raw Materials Yard	73.5	64.6
4	Mirzapur Village	52.3	42.4
6	Palitpur Village	53.4	43.2

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

HMB ISPAT

PRIVATE LIMITED
(Formerly known as BRGD Ingot Private Limited)

CIN No. U27109WB2005PTC103895

Ref : HMB / 23 - 24 / 02262401

Dated : 26th Feb . 2024

To,
The Sr. Environmental Engineer,
West Bengal Pollution Control Board,
Durgapur Regional Office,
Shahid Khudiram Sarani, City Center,
Durgapur, West Bengal-713216



Sub: Submission of filled up Environmental Statement (FORM-V) for the existing Steel Plant Project at village: Palitpur, Mouza & P.O. : Mirzapur, District: Purba Burdwan in West Bengal by M/s HMB Ispat Pvt. Ltd..

Sir,

With reference to above, we are submitting herewith the filled up Environmental Statement (FORM-V) for the existing Steel Plant Project at village: Palitpur, Mouza & P.O. : Mirzapur, District: Purba Burdwan in West Bengal for the period FY 2023-24.

Kindly acknowledge the same.

Thanking you,

Yours sincerely,
for M/s HMB Ispat Private Limited

Pankaj Jain
President - F & A

Registered Office: "Godrej Genesis" Unit No. - 1103, 11Th Floor,
Plot No. XI - 9, 10, 13 & 14, Block - EP & GP, Sector - V, Salt Lake City, Kolkata - 700091.

☎ 033 4080 5500

✉ hmbispat@hmbindustries.com / sul.tmt@sulmt.com
brgd2010@gmail.com

🌐 www.hmbindustries.com
www.sulsteel.com



FORM - V

(See rule 14)

Environmental Audit Report for the Financial year ending the 31st March 2024**PART - A**

1.	Name & address of the owner/occupier of the industry, operation or process.	M/s HMB Ispat Pvt. Ltd. Address of Existing Plant: Village: Palitpur, Mouza & P.O. : Mirzapur, P.S. & District: Purba Burdwan, West Bengal Address of Head Office: Godrej Genesis, Unit No.: 1103, 11 th Floor, Block EP & GP, Sector-V, Salt Lake City, Kolkata-700091
2.	Industry category Primary (STC Code), Secondary (STC Code)	Secondary Process (Red Category). Production of Billets (1,40,400 TPA) from 2x7 T +1x10 T + 1x15 T Induction Furnaces & Rolled Product (1,38,000 TPA) from Rolling Mill.
3.	Production Capacity – Units	The unit Configuration & current Production capacity is presented below, 1. Induction Furnaces (2x7 T +1x10 T + 1x15 T) : 1,40,400 TPA Billets 2. Rolling Mill : 1,38,000 TPA TMT Bars & Sectional Steel
4.	Year of establishment	23 rd June, 2005
5.	Date of last environmental statement	-

PART - B

1	Water Consumption m ³ /day process		
		Financial Year (2022-2023) (in m ³ /day)	Financial Year (2023-24) (in m ³ /day)
	Cooling	20 m ³ /day	20 m ³ /day
	Domestic	4 m ³ /day	4 m ³ /day



PART – C Pollution Generated (Parameters as specified in the consent issued)			
	Pollutants	Quantity of pollution generated	Percentage of variation from prescribed standards with reason
a	Water (Domestic Effluent)	3 KLD through Septic Tank - Soak Pit system	No variation
b	Air	PM <50 mg/Nm ³ for Induction Furnaces	No variation

PART – D Hazardous waste [as specified under Hazardous Wastes (Management & Handling) Rules 1989]			
	Hazardous Wastes	Total Quantity (in Kg)	
		During the previous Financial year	During the current Financial year
a.	From Process	No Hazardous waste produced.	No Hazardous waste produced.
b.	From Pollution Control Facilities	Nil	Nil

PART – E Solid Wastes			
		Total Quantity	
		During the previous Financial year (April, 2022 to March, 2023)	During the current Financial year (April, 2023 to March, 2024)
a.	From process	> Slag from Induction Furnaces - 6,000 TPA	> Slag from induction Furnaces - 6,040 TPA
b.	From pollution control facility	NA	NA
c.	Quantity recycled or re-utilized.	> Slag from Induction Furnaces is being used in Land filling / Road making purposes.	> Slag from Induction Furnaces is being used in Land filling / Road making purposes.

PART – F
Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.
The solid waste which are generated from various sources mainly slag from Induction Furnaces slags, belongs in the group of non hazardous category.

PART – G
Impact of pollution control measures on conservation of natural resources and consequently on the cost of production



1. There are 2 nos. hood & common stacks attached with Induction Furnaces for continuous emission of PM only.
2. To reduce dust emissions, Bag Filters has been used with the stacks.
3. Two Diesel Generator sets is being used during the power failure.
- 4 Under "Zero discharge" concept no industrial effluent discharge outside the plant premises. Treated industrial waste water is being used in the plant premises. Domestic waste water is being treated through Septic Tank - Soak Pit system.
5. To reduce the use of conventional source of energy for conservation of natural resources, the Company has taken several measures.

PART – H

Additional investment proposal for environmental protection including abatement of pollution

The Environment (Protection) Rules 1986

PART – I

Miscellaneous

Any other particulates in respect of environment protection and abatement of pollution

1. There is water spray arrangement to control fugitive emissions.
2. Bag Filters is provided with the stacks with desired capacity.
3. The company has developed green belt within the plant area.
4. World environment day is celebrated to promote awareness of environment issues.



who was the former CPI-M chairman of Rajarhat municipality and recently joined the Trinamul Congress, would be made candidate in this Salt Lake - Rajarhat municipal corporation.

Senior Trinamul Congress leaders like party's secretary general Partha Chatterjee, party's general secretary Firad Hakim, Salt Lake MLA Sujit Bose, former Salt Lake municipality chairperson Krishna Chakroborty, North 24 Parganas district president and observer, Jyotipriya Mullick and Nirmal Ghosh, attended the meeting. **SNS**



Kashmiri men peel walnuts for the domestic market and for export, in Srinagar on Friday. ■ AFP

Keeping humanity alive on Delhi

CONTINUED FROM PAGE 1

"My father used to say, 'No one can fall sick if he gets one good meal a day,' so our basic idea is to give one free, healthy meal to everyone. No one should remain hungry," he added.

When asked what his organisation was called, and where it had its office, Panesar interrupted to say, "No, no. There is no organisation. We are only a group of people. My father started it and we are continuing the work. The food is prepared at Tilak Nagar and then we ferry it to different parts of the city."

Panesar and his volunteers grow the foodgrain they feed to the destitute.

"We have rented 70 acres of land in the Delhi-NCR region. There we grow wheat, rice, mustard and bajra. In our farms, we also have a herd of cattle. The ingredients that we use to prepare the meals are mostly from our fields," the bearded man who's fondly called 'Virji' as his father was, added.

The noble act that Trilochan Singh started in front of Sis Ganj Sahib Gurdwara in Chandi Chowk is now spread across seven points in Delhi.

Every morning, hundreds of volunteers feed thousands of starving people who live on the streets of the city - 700-800 in Chandni Chowk, over 1,000 at Nigambodh Ghat, around 200 at the roundabout near Rajdoot hotel, 250-300 near the Sai Baba temple at Lodhi Road, 700 in Tilak Nagar, hundreds in the compartments of Sachkhand Express, which takes devotees to the holy Hazur Sahib, and a few hundred at Veerji Da Ashram (old age home) in Dashrathpuri, near Dabri more.

It may sound strange, but these Samaritans do not maintain accounts.



A volunteer fills the cup of a daily wage labourer with hot tea as others continue eating their roti and dal. ■ sns



The homeless queue up in front of a tent to quench their thirst. ■ sns

Despite that the work flows seamlessly, thanks to seven groups of volunteers who prepare food on seven different days of the week and many others who nurse and feed those who call the streets their home.

And none of these volunteers is jobless.

"We are all professionals; no one is nikkama (useless) here. So, after completing our work here, we go back to our respective workplaces," Goel informed.

These volunteers really don't seem to know how the finances are managed, and they do not take money from anyone. But when passersby offer them pulses, flour and other food material, they accept it.

However, their services are not limited to the living. "We cremate dead bodies. In 2005, all the bodies that were unclaimed in the Sarojini Nagar blasts were cremated by us," Panesar said.

Besides that, they look after the severely sick on the streets. They have doctors on hand - two at Chandni Chowk, one at Nigambodh Ghat, and eight at the old age home in Tilak Nagar.

Basic medical equipment like X-Ray machines are kept at the old-age home.

In case resident doctors fail to diagnose or treat

patients, they are taken to public hospitals for better care. Sometimes, the destitute, after being discharged from various hospitals are provided shelter in the old-age home.

Ravinder Singh, a pharmacist who is involved in the social work, doesn't even remember when he started participating in it. But he remembers how it started.

"I used to see Veerji (Trilochan Singh) cleaning wounds of the homeless daily. One day, he asked me if I was a pharmacist and if I would like to assist him. Thus, it started.

"I don't recall the year probably 15 years ago, and since that day, I have been doing this. Veerji left us in 2010, but we continued it," Singh, who was accompanied by his wife, told thetatesman.com. The couple volunteers to serve the disadvantaged in every possible manner.

But, not all the volunteers get family support.

Goel, for instance, gets into fights with his mother, wife and daughter daily. They fear that he might catch some infection or fall sick as he nurses the homeless, who are perhaps not conscious about hygiene.

"My family is scared. I tell them even if I die, I'll at least

PUBLIC NOTICE

We hereby inform the public that our Proposed Project i.e., Expansion of Steel melting shop unit (from 50,400 TPA to 90,000 TPA) at Dag no. 56, 57, 63, 64, 65, 75, at Mouza - Mirzapur, Village Palitpur, P.O Mirzapur, Dist : Burdwan in West Bengal has been accorded Environmental Clearance (EC) by Ministry of Environment, Forests & Climate Change (MoEFCC), Government of India vide their Letter dated 27th August, 2015 (Ref. F.No. J-11011/258/2012-IA II (I)). The copy of the Environmental Clearance Letter is available with West Bengal Pollution Control Board and may also be seen at Website of the Ministry of Environment, Forests & Climate Change (MoEFCC) at <http://envfor.nic.in>.

Project Proponent:
M/s BRGD Ingot Private Limited
4, D L Khan Road
Kolkata - 700 025, West Bengal
Phone : 033-30101900

DEBTS RECOVERY TRIBUNAL NO. 1
42C, J. L. Nehru Road, "Jeevan Sucha
Building" 9th Floor, Kolkata-700 071.

SUMMONS TO SHOW CAUSE
SUMMON UNDER SECTION 19(4) OF
RECOVERY OF DEBTS DUE TO BANKS
AND FINANCIAL INSTITUTION ACT, 1993.
O.A. No. 219 of 2014

STATE BANK OF INDIA APPLICANT
VERSUS
SRI SUJIT MISHRA DEFENDANT

To,
SRI SUJIT MISHRA
Son Nayan Kumar Mishra
P-94, Gulepara Road, Kolkata- 700061.

WHEREAS the Applicant above named has/have filed application Under Section 19(1) of RECOVERY OF DEBTS DUE TO BANKS AND FINANCIAL INSTITUTION ACT 1993 against you/other for recovery of Rs. 24,71,342/- & other reliefs you are hereby summoned to appear in person or through authorized agent before this Tribunal within 30 (thirty) days from the date of receipt thereof and to show cause in writing along with copies of document to be relied up on by you as to why reliefs prayed for shall not be granted.

Given under my hand and seal of the Tribunal.
Sd/-
Asst. Registrar
DRT-1, Kolkata
27.07.2015

সেন কমিশনের টাকা দেওয়ার উদ্যোগ শুরু

শ্যামল মামলা। এই মামলাটি হাইকোর্টে করেছেন সুবীর দে নামে এক আমানতকারী। তাঁর পক্ষে সওয়াল করেছেন আইনজীবী বিকাশরঞ্জন ভট্টাচার্য, অরিন্দম দাস ও শুভাশিস চক্রবর্তী। সারদার চিটফান্ড কেলেঙ্কারি প্রশাসনের নজরে সেবি আনার প্রায় সঙ্গে সঙ্গে রাজ্য সরকার তাৎক্ষণিক ব্যবস্থা হিসেবে বিচারপতি শ্যামল সেন কমিশনের মাধ্যমে আমানতকারীদের কিছুটা

দেওয়ার উদ্যোগ নেন মুখ্যমন্ত্রী মমতা বন্দ্যোপাধ্যায়। এজন্য ৫০০ কোটি টাকার বিশেষ তহবিল গঠিত হয়। তখন প্রশ্ন উঠেছিল বিধানসভার ভেতরে ও বাইরে, এমনকী হাইকোর্টেও সারদা বিষয়ক অন্য মামলায়, কেন ক্ষতিগ্রস্তদের টাকা রাজ্য সরকার দেবে। এখন কিন্তু হাইকোর্টই সেই টাকা নিযুক্ত কমিটির মাধ্যমে দিতে চাইছে। ৫০০ কোটি টাকার মধ্যে বেশ কিছু

টাকা আমানতকারীদের জন্য বরাদ্দ করার সুযোগই পায়নি। যেটুকু বরাদ্দ করেছিল, তারও একটা বড় অংশ প্রথাগত ক্রটির জন্য আমানতকারীদের হাতে পৌঁছয়নি। এছাড়া শ্যামল সেন কমিশনের কাছে সারদা কর্তৃপক্ষ স্বেচ্ছায় যে সম্পত্তি তুলে দিয়েছেন, তা বিক্রি করে কিছু টাকা এসেছিল। সব মিলিয়ে ৩৫০ কোটি টাকা পড়ে আছে। এই টাকার কোনও হিসেব

বিধানসভায় প্রদত্ত সরকারি আয়-ব্যয়ে দেখানো হয়নি। যেহেতু কমিশন কিছু লোককে সরকারি টাকা দিয়েছে, তাহলে বাকি লোক তো এর থেকে টাকা পেতে পারে। হাইকোর্ট সরকারি আইনজীবী প্রণব দত্তকে বলেছে রাজ্য সরকারের সঙ্গে কথা বলে জানান, হাইকোর্ট নিযুক্ত কমিটির মাধ্যমে এই টাকা দেওয়ার ব্যাপারে আপত্তি আছে কি না।

সেন কমিশনের আগে চিটফান্ডের সম্পত্তি নিলাম : হাইকোর্ট

এই মামলার পরিণতি জানতে কয়েক হাজার আমানতকারী শুক্রবার হাইকোর্টের বাইরে ভিড় করেছিলেন। এম পি এস আমানতকারীদের একটি সংগঠন মামলা করায় চিটফান্ড মামলা শুক্রবার কলকাতা হাইকোর্টে নতুন মোড় নেয়। তাদের পক্ষে সওয়াল করেন বিকাশরঞ্জন ভট্টাচার্য, অরিন্দম দাস এবং শুভাশিস চক্রবর্তী। আমানতকারীদের অবস্থা এবং চিটফান্ড মালিকদের ভূমিকা নিয়ে আবেদনকারীদের বক্তব্যের বিরোধিতা করেননি সরকারি আইনজীবী প্রণব দত্ত। ই ডি প্রথম থেকেই হাইকোর্টের উদ্যোগের বিরোধিতা করছিল। প্রধান বিচারপতি মঞ্জুলা চেম্বুর এবং বিচারপতি জয়মালা বাগচীর ডিভিশন বেঞ্চ দুটি ব্যাপারে জোর দিয়েছিল। চিটফান্ডের সম্পত্তি নিলাম করে যত দ্রুত সম্ভব আমানতকারীদের টাকা ফেরত দিতে হবে। চিটফান্ড মালিকদের

নানা নামে বিভিন্ন প্রতিষ্ঠানের আওতায় সম্পত্তি লুকিয়ে রাখার চেষ্টা বন্ধ করতে হবে। ই ডি বলে যাচ্ছিল, চিটফান্ডের সম্পত্তি নিলাম করার অধিকার ভারতীয় আইন অনুসারে শুধু তাদেরই আছে। আইনজীবী বিকাশরঞ্জন ভট্টাচার্য বলেছিলেন সংবিধানের ২২৬ ধারা অনুসারে জনস্বার্থে হাইকোর্টই চিটফান্ডের সম্পত্তি নিলাম করে আমানতকারীদের টাকা ফেরাতে পারে। অতিরিক্ত সলিসিটর জেনারেল কৌশিক চন্দ এ ব্যাপারে কেন্দ্র সরকারের একটি নথি জমা দিয়েছেন। তা দেখেই হাইকোর্ট রায় দিয়েছে তাদের নিযুক্ত কমিটি সংবিধান নির্দেশিত পথেই কাজ করবে। হাইকোর্ট জানিয়েছে পূজার আগেই আমানতকারীদের যাতে কিছু টাকা পান, তার চেষ্টা করা হচ্ছে।

পশ্চিমবঙ্গ সরকার
নগর উন্নয়ন দপ্তর
সম্পত্তি ব্যবস্থাপক কার্যালয়/এস্টেট ম্যানেজার অফিস, কল্যাণী।
ডি.সি.বিল্ডিং, কল্যাণী, নদীয়া

বিজ্ঞপ্তি

এতদ্বারা জানানো যাইতেছে যে গত ইং ০৬/০৯/১৯৯০ তারিখে সম্পাদিত প্লট নং: বি-২/৩২৪ এর লিজ/ইজারা দলিলের দফা ২ (iii) ও দফা ২ (iv) এর শর্তভঙ্গের কারণে ঐ লিজ দলিলের ৫নং ধারা অনুসারে সরকার বাহাদুর/উক্ত দপ্তর ইজারা স্বত্ব খারিজ করিবার সিদ্ধান্ত নিয়েছেন এবং সরকার বাহাদুর জমিটি/প্লটটি নিজ অধীনে গ্রহন করিবেন।

পূর্ববর্তী স্বত্ব ভোগকারী বা তাঁর কোন উত্তরাধিকারী (গন) আগামী দুই সপ্তাহের মধ্যে তাঁর/তাদের প্লট সম্বলিত ও তাঁদের দাবী সম্বলিত উপযুক্ত ও বৈধ কাগজপত্র এস্টেট ম্যানেজার, কল্যাণী, ডি.সি.বিল্ডিং অফিসে পেশ করিতে পারেন। দুই সপ্তাহের পরে কোন আবেদনপত্র গ্রহন বা গ্রাহ্য হইবে না।

আদেশশাসনস্বারে,
স্বা/-
সম্পত্তি ব্যবস্থাপক/এস্টেট ম্যানেজার, কল্যাণী
ডি.সি.বিল্ডিং, কল্যাণী, নদীয়া

আইসিএ-১২৪০(২)/২০১৫

পশ্চিমবঙ্গ সরকার
নগর উন্নয়ন দপ্তর
সম্পত্তি ব্যবস্থাপক কার্যালয়/এস্টেট ম্যানেজার অফিস, কল্যাণী।
ডি.সি.বিল্ডিং, কল্যাণী, নদীয়া

বিজ্ঞপ্তি

এতদ্বারা জানানো যাইতেছে যে গত ইং ০২/০৬/১৯৮৭ তারিখে সম্পাদিত প্লট নং: বি-২/৩৭৮ এর লিজ/ইজারা দলিলের দফা ২ (iii) এর শর্তভঙ্গের কারণে ঐ লিজ দলিলের ৫নং ধারা অনুসারে সরকার বাহাদুর/উক্ত দপ্তর ইজারা স্বত্ব খারিজ করিবার সিদ্ধান্ত নিয়েছেন এবং সরকার বাহাদুর জমিটি/প্লটটি নিজ অধীনে গ্রহন করিবেন।

পূর্ববর্তী স্বত্ব ভোগকারী বা তাঁর কোন উত্তরাধিকারী (গন) আগামী দুই সপ্তাহের মধ্যে তাঁর/তাদের প্লট সম্বলিত ও তাঁদের দাবী সম্বলিত উপযুক্ত ও বৈধ কাগজপত্র এস্টেট ম্যানেজার, কল্যাণী, ডি.সি.বিল্ডিং অফিসে পেশ করিতে পারেন। দুই সপ্তাহের পরে কোন আবেদনপত্র গ্রহন বা গ্রাহ্য হইবে না।

আদেশশাসনস্বারে,
স্বা/-
সম্পত্তি ব্যবস্থাপক/এস্টেট ম্যানেজার, কল্যাণী
ডি.সি.বিল্ডিং, কল্যাণী, নদীয়া

আইসিএ-১২৪৫(২)/২০১৫

পুরপিতাকে বোমা

জন্ম ভয়ে কাঁপতে থাকেন সিরাজুল পতলা পিতা হুঁড়তে থাকে। এলাকার মানুষ বেরিয়ে আসেন, তাঁরা পাল্টা হুঁড়তে থাকে। পিতার হুঁড়তে থাকে দুষ্কৃতীদের লক্ষ্য করে। তাড়া করেন দুষ্কৃতীদের। অবস্থা বেগতিক বুঝে তারা পালায়।

জনসাধারণের বিজ্ঞপ্তি

এতদ্বারা সকল জনসাধারণকে জানানো যাইতেছে যে, আমাদের প্রস্তাবিত প্রকল্পটি অর্থাৎ পশ্চিমবঙ্গের বর্ধমান জেলার মৌজা মিজাপুর, গ্রাম পালিতপুর, পোঃ মিজাপুর, থানা-বর্ধমান সদর দাগ নং- ৫৬, ৫৭, ৬৩, ৬৪, ৬৫, ৭৫ তে প্রস্তাবিত লৌহ কারখানা (৫০৪০০ টন প্রতি বৎসর হইতে ৯০০০০ টন প্রতি বৎসর হিসাবে) জন্ম পরিবেশগত ছাড়পত্রটি পরিবেশ, বন মন্ত্রক বিভাগ এবং ক্রাইমেট চেঞ্জ (MoEFCC) ভারত সরকার, ২৭শে আগস্ট, ২০১৫ মঞ্জুর করেছেন (তথ্য নির্দেশ সংখ্যা: J-11011/258/2012-IA II)

(1) পরিবেশ গত ছাড়পত্রের অনুলিপি পশ্চিমবঙ্গ দূষণ নিয়ন্ত্রন পর্ষদে পাওয়া যাবে। পরিবেশ, বন মন্ত্রক বিভাগ এবং ক্রাইমেট চেঞ্জের ওয়েব সাইট <http://envfor.nic.in> থেকে পরিবেশ গত ছাড়পত্রের অনুলিপি ও পাওয়া যাবে।

প্রকল্পকারির নাম: মেসার্স বি আর জি ডি ইনসোর্ট প্রাইভেট লিমিটেড
ব্লক সি ফ্ল্যাট নং ২০১, দ্বিতীয় তল
৪ নং ডি এল খান রোড
কোলকাতা-৭০০ ০২৫, পশ্চিমবঙ্গ
দুরাজাঃ ০৩৩৩-৩০১০১৯০০

W. B. Govt. Tender
Re-e-Tender Notice
Re-E-Tenders are invited by the Commissioner of Police, Kolkata on behalf of Governor of West Bengal from the bonafide contractors and reputed firms who have the working experience for

ইউনিয়ন ব্যাঙ্ক
ওভারসিজ ব্রাঞ্চ
৯, ইন্ডিয়া এক্সচেঞ্জ প্লেস
কলকাতা- ৭০০ ০০১
ফোন নং: (০৩৩) ২২৩০ ৫২৫৩/১৩৮৯

দখল বিজ্ঞপ্তি [সারফয়েসি অ্যান্ড-এর (কল চ[২]-এর অধীনে]

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

Annexure - 13

GROUND WATER ANALYSIS RESULTS

Name of Industry	M/s. BRGD INGOT PVT. LIMITED.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Code	Sampling Location	Sampling date		
GW1	Palitpur (Tubewell)	June, 2023		
GW2	Project Site (Borewell water)			
ANALYSIS RESULTS				
Sl. No.	Parameter	Unit	SAMPLE CODE	
			GW1	GW2
1	Colour		Colourless	Colourless
2	Odour		Unobj.	Unobj.
3	Taste		Agreeable	Agreeable
4	Turbidity	NTU	<1	<1
5	pH		7.5	7.6
6	Conductivity	µmhos/cm	684	583
7	Total Hardness (as CaCO ₃)	mg/L	242	226
8	Iron (as Fe)	mg/L	0.38	0.31
9	Chloride (as Cl)	mg/L	82	71
10	Residual Free Chlorine	mg/L	nil	nil
11	Fluoride (as F)	mg/L	0.36	0.32
12	Total Dissolved Solids	mg/L	403	329
13	Calcium (as Ca)	mg/L	75	63
14	Magnesium (as Mg)	mg/L	14	13
15	Copper (as Cu)	mg/L	<0.05	<0.05
16	Manganese (as Mn)	mg/L	<0.05	<0.05
17	Sulphate (as SO ₄)	mg/L	15	20
18	Nitrate (as NO ₃)	mg/L	4.5	4.4
19	Phenol Compounds (as C ₆ H ₅ OH)	mg/L	<0.001	<0.001
20	Mercury (as Hg)	mg/L	<0.001	<0.001
21	Cadmium (as Cd)	mg/L	<0.01	<0.01
22	Arsenic (as As)	mg/L	<0.002	<0.002
23	Cyanide (as CN)	mg/L	<0.05	<0.05
24	Lead (as Pb)	mg/L	<0.05	<0.05
25	Zinc (as Zn)	mg/L	<0.05	<0.05
26	Hexavalent Chromium (as Cr ⁺⁶)	mg/L	<0.05	<0.05
27	Alkalinity (as CaCO ₃)	mg/L	218	235
28	Boron (as B)	mg/L	<0.02	<0.02
29	Total Coliforms	MPN/100	absent	absent

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

GROUND WATER ANALYSIS RESULTS

Name of Industry	M/s. BRGD INGOT PVT. LIMITED.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Code	Sampling Location	Sampling date		
GW1	Palitpur (Tubewell)	August, 2023		
GW2	Project Site (Borewell water)			
ANALYSIS RESULTS				
Sl.No.	Parameter	Unit	SAMPLE CODE	
			GW1	GW2
1	Colour		Colourless	Colourless
2	Odour		Unobj.	Unobj.
3	Taste		Agreeable	Agreeable
4	Turbidity	NTU	<1	<1
5	pH		7.4	7.3
6	Conductivity	µmhos/cm	712	587
7	Total Hardness (as CaCO ₃)	mg/L	238	198
8	Iron (as Fe)	mg/L	0.32	0.4
9	Chloride (as Cl)	mg/L	97	88
10	Residual Free Chlorine	mg/L	nil	nil
11	Fluoride (as F)	mg/L	0.41	0.37
12	Total Dissolved Solids	mg/L	428	316
13	Calcium (as Ca)	mg/L	66	71
14	Magnesium (as Mg)	mg/L	12	15
15	Copper (as Cu)	mg/L	<0.05	<0.05
16	Manganese (as Mn)	mg/L	<0.05	<0.05
17	Sulphate (as SO ₄)	mg/L	12	16
18	Nitrate (as NO ₃)	mg/L	4.1	4.8
19	Phenol Compounds (as C ₆ H ₅ OH)	mg/L	<0.001	<0.001
20	Mercury (as Hg)	mg/L	<0.001	<0.001
21	Cadmium (as Cd)	mg/L	<0.01	<0.01
22	Arsenic (as As)	mg/L	<0.002	<0.002
23	Cyanide (as CN)	mg/L	<0.05	<0.05
24	Lead (as Pb)	mg/L	<0.05	<0.05
25	Zinc (as Zn)	mg/L	<0.05	<0.05
26	Hexavalent Chromium (as Cr ⁺⁶)	mg/L	<0.05	<0.05
27	Alkalinity (as CaCO ₃)	mg/L	226	238
28	Boron (as B)	mg/L	<0.02	<0.02
29	Total Coliforms	MPN/100	absent	absent

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

SURFACE WATER ANALYSIS RESULTS

Name of Industry	M/s. BRGD INGOT PVT. LIMITED.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Code	Sampling Location	Date of sampling		
SW1	Damodar River	June, 2023		
SW2	Pond (Palitpur)			
ANALYSIS RESULTS				
Sl.No.	Parameter	Unit	Sample Code	
			SW1	SW2
1	Colour		Colourless	Colourless
2	Odour		Unobj.	Unobj.
3	pH		7.2	7.5
4	Conductivity	µmhos/cm	414	489
5	Dissolved Oxygen	mg/L	7	6.7
6	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	5	10
7	Total Coliforms	MPN/100 ml	1660	1200
8	Total Dissolved Solids	mg/L	264	327
9	Oil & Grease	mg/L	<0.01	<0.01
10	Cyanide (as CN)	mg/L	<0.05	<0.05
11	Phenol (as C ₆ H ₅ OH)	mg/L	<0.001	<0.001
12	Total Hardness (as CaCO ₃)	mg/L	156	184
13	Chloride (as Cl)	mg/L	52	65
14	Sulphate (as SO ₄)	mg/L	12	15
15	Nitrate (as NO ₃)	mg/L	4.1	5.4
16	Fluoride (as F)	mg/L	0.45	0.52
17	Calcium (as Ca)	mg/L	56	48
18	Magnesium (as Mg)	mg/L	7	8
19	Copper (as Cu)	mg/L	<0.05	<0.05
20	Iron (as Fe)	mg/L	0.22	0.34
21	Manganese (as Mn)	mg/L	<0.05	<0.05
22	Zinc (as Zn)	mg/L	<0.05	<0.05
23	Boron (as B)	mg/L	<0.02	<0.02
24	Arsenic (as As)	mg/L	<0.002	<0.002
25	Mercury (as Hg)	mg/L	<0.001	<0.001
26	Lead (as Pb)	mg/L	<0.05	<0.05
27	Cadmium (as Cd)	mg/L	<0.01	<0.01
28	Hexavalent Chromium (as Cr ⁺⁶)	mg/L	<0.05	<0.05
29	Total Alkalinity	mg/L	145	169

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

Envirotech East Pvt. Limited

An ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Company

- Laboratory Accrediated by NABL, as per ISO/IEC 17025 :2017
- Laboratory Recognized by WBPCB
- Accredited EIA Consultant by QCI-NABET



100, Kalikapur, Madurdaha, Kolkata – 700 107, West Bengal, India

☎ – + 91 33 2443 8127/8128 ; + 91 33 4063 5011; email: eeplkol@gmail.com; eeplkol2@gmail.com

CIN NO : U74210WB1989PTC047403

SURFACE WATER ANALYSIS RESULTS

Name of Industry	M/s. BRGD INGOT PVT. LIMITED.
Address	Village Palitpur, P.O. & Mouza - Mirzapur, P.S. & District - Burdwan, West Bengal

Code	Sampling Location	Date of sampling		
SW1	Damoder River	August, 2023		
SW2	Pond (Palitpur)			
ANALYSIS RESULTS				
Sl.No.	Parameter	Unit	CODES	
			SW1	SW2
1	Colour	-	Colourless	Colourless
2	Odour	-	Unobj.	Unobj.
3	pH	-	7.3	7.4
4	Conductivity	μmhos/cm	386	507
5	Dissolved Oxygen	mg/L	6.9	7.1
6	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	5	9
7	Total Coliforms	MPN/100 ml	1480	980
8	Total Dissolved Solids	mg/L	228	304
9	Oil & Grease	mg/L	<0.01	<0.01
10	Cyanide (as CN)	mg/L	<0.05	<0.05
11	Phenol (as C ₆ H ₅ OH)	mg/L	<0.001	<0.001
12	Total Hardness (as CaCO ₃)	mg/L	144	198
13	Chloride (as Cl)	mg/L	44	56
14	Sulphate (as SO ₄)	mg/L	14	23
15	Nitrate (as NO ₃)	mg/L	3.4	4.6
16	Fluoride (as F)	mg/L	0.29	0.33
17	Calcium (as Ca)	mg/L	42	48
18	Magnesium (as Mg)	mg/L	8	12
19	Copper (as Cu)	mg/L	<0.05	<0.05
20	Iron (as Fe)	mg/L	0.2	0.35
21	Manganese (as Mn)	mg/L	<0.05	<0.05
22	Zinc (as Zn)	mg/L	<0.05	<0.05
23	Boron (as B)	mg/L	<0.02	<0.02
24	Arsenic (as As)	mg/L	<0.002	<0.002
25	Mercury (as Hg)	mg/L	<0.001	<0.001
26	Lead (as Pb)	mg/L	<0.05	<0.05
27	Cadmium (as Cd)	mg/L	<0.01	<0.01
28	Alkalinity (as CaCO ₃)	mg/L	<0.05	<0.05
29	Hexavalent Chromium (as Cr ⁺⁶)	mg/L	134	173

For ENVIROTECH EAST (P) LTD.



(Authorized Signatory)

F. No. J-11011/258/2012-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
 Jor Bagh Road, Aliganj,
 New Delhi – 110003
E-mail: satish.garkoti@nic.in
Tel.: 011-24695316
 Dated: 26th August, 2015
 27th

To

Director,
M/s BRGD Ingot Pvt. Ltd.,
 4, D L Khan Road, Block-C Flat No. 201,
 2nd Floor, PS Kalighat, PO Bhowanipur,
 Kolkatta-700025.

Subject: Expansion of Steel Melting Shop Unit (from 50,400 TPA to 90,000 TPA) of M/s BRGD Ingot Pvt. Ltd. at village Palitpur, Mouza & P.O Mirzapur, Dist Burdwan, West Bengal- Environmental Clearance (EC)-regarding.

Sir,

This has reference to your letter No. Nil dated 12th April, 2014 along with EIA/EMP report and Public Hearing and other documents and subsequent letters dated 29.07.2014 and 11.09.2014 seeking environmental clearance under the provisions of the EIA Notification, 2006 regarding the project mentioned above. It has been noted that the said project was prescribed ToRs by the MoEFCC vide letter of even number dated 1st March, 2013. The steel plants are listed at S.No. 3(a) in primary metallurgical industry under category 'A' of the schedule of EIA notification 2006 and appraised by the Expert Appraisal Committee (Industry).

2.0 It is noted that M/s BRGD Ingot Pvt. Ltd. has proposed for expansion of Steel Melting Shop Unit in the existing Steel Plant at Village Palitpur, District Burdwan, West Bengal. The proposal is for manufacturing of M.S. Ingot with an annual capacity of 90, 000 MT. The existing Induction Furnace is (2 x 7 T) (50,400 TPA) and the proposed Induction Furnace unit is (1x10 T + 1x15 T) (90,000 TPA) with Ladle Refining Furnace & Continuous Casting Machine. Two induction furnaces of capacity 1x 10 T & 1x 15 T with matching LRF & CCM (90,000 TPA Billet) would be installed in order to act simultaneously at the melting unit in the steel melting shop. Ingots from the existing as well as from the proposed expansion will be utilised in company's own plant – M/s SUL Steel Pvt, Ltd. at Paharpur, 24 Parganas (S), West Bengal. The existing and proposed units along with their capacities are as under:

Sl. No.	Unit	Existing Capacity	Proposed Capacity	Product
1.	2x7 Tonne Induction Furnaces	50,400 TPA	-	Ingot
2.	1x10 & 1x15 Tonne Induction Furnaces with matching Ladle Refining Furnace & Continuous Casting Machine	-	90,000 TPA	Billet

3.0 The project is located at Palitpur, Mouza & P.O Mirzapur, P.S & District Burdwan, West Bengal. The geographical co-ordinates of the project site are 23°17'15.02"N latitude and 87°51'44.15"E longitude with mean sea level (MSL) as 110 ft. Nearest Town is Burdwan (District H.Q) - 5.0 km from the project site. Nearest Railway Station is Burdwan Railway Station which is 4.3 km from the project site. Total plant area is 5.83 acres. Project cost is Rs. 1500 Lakhs. No forest land is involved. No court case/ litigation is pending against the project. Ramnabagan

Wildlife Sanctuary is located at a distance of 3.6 Km to the south –west direction of the project. River Damodar is flowing at a distance of 7.5 Km. Existing project is operating with a CTO from WBPCB, which has been renewed on 21.04.2014.

4.0 The aforesaid proposal was considered by the Reconstituted Expert Appraisal Committee (Industry) EAC (i) in its 23rd meeting held on 18th -19th September, 2014. The project proponent gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken along with the draft Term of References for the preparation of EIA-EMP. EIA-EMP Report has been prepared by Envirotech East Pvt. Ltd., Kolkatta. Baseline data has been collected during March-May 2013. AAQ monitoring carried out at 8 locations indicate that the levels of PM₁₀ (44-106µg/m³), PM_{2.5} (16-46 µg /m³), SO₂ (4-15 µg /m³) and NO_x (6-29 µg g/m³) are generally (except for PM₁₀ at one location) within prescribed limits. AQIP Modelling indicates that GLC of PM₁₀, SO₂ and NO_x will be 1.08 µg /m³, 4.92 µg /m³ and 2.46 µg /m³ respectively.

5.0 Bagfilter will be provided to induction furnace and raw material handling area to keep control particulate emissions within 50mg/Nm³. Dust from the bag filter would be used for filling up and development of plantation on the mound. Fugitive dust emissions from areas such as raw materials stockpile, loading/unloading systems, conveyor systems will be arrested by Dry Fogging System. Slag from induction furnace will be used for land filling, road construction, after removal of residual iron by slag crusher. Adequate control measures like bag filters, dust suppression system & Stack of adequate height at relevant point will be installed.

6.0 Raw materials such as sponge iron, pig iron, scrap and ferro alloys would be obtained from local market. Stockpiles of raw material will be stored in areas which have suitable limners to prevent leaching of metals. Induction Furnace slag (6500TPA) will be used as land filling / road construction purpose. End cuts from CCM (2200 TPA) will be used in IF.

7.0 Total water requirement will be 102m³/day using groundwater. Permission has been obtained from State Water Investigation Department (SWID). There will be no discharge of Industrial Effluent (zero discharge plant). The entire wastewater will be recycled for various purposes inside the plant. Domestic wastewater will be treated in Septic tank–Soak pit system. In regard to rain water harvesting, it is stated that 60% run off may be allowed to be drained through natural drainage system. For its sustenance and remaining 40% may be harvested and stored suitably. Around 0.0042 mcm (4240 cu.m) of water therefore can be conserved within the proposed plant. Considering the average depth of 2.5 m in storage tanks, area for surface storage involves around 0.1696 ha (0.419 acres) which is 7.0% of the project area. The daily make up water requirement for the proposed project is 102 kld. Thus, on an average around 42 days daily make up water requirement for the proposed project will be fulfilled by the harvested rain water.

8.0 The total power requirement will be 10 MVA and sourced from DVC supply system. DG set (180 KVA) will be installed.

9.0 The Public Hearing was held on 27th February, 2014 at the Meeting Hall of Burdwan-I Panchayat Samity, District Burdwan in West Bengal. Issues raised include air pollution from the project activities, skill development through training, utilisation of slag for road construction, local area development of community infrastructure, etc.

10.0 The Ramnabagan Wild life Sanctuary is approximately 3.6 KM from the project boundary. An application dated 11.07.2013 has been made by PP to PCCF Wildlife, State Govt., for obtaining clearance from the NBWL.

11.0 The Committee after deliberations recommended the project for environmental clearance subject to stipulation of the following conditions and other additional safeguards and measures:

h
a

12.0 The Ministry of Environment, Forest and Climate Change has considered the application based on the recommendations of the Expert Appraisal Committee (Industry) and hereby decided to grant Environmental Clearance to the above mentioned Expansion of Steel Melting Shop Unit (from 50,400 TPA to 90,000 TPA) of M/s BRGD Ingot Pvt. Ltd. under the provisions of EIA Notification dated 14th September 2006, subject to strict compliance of the following Specific and General conditions:

A. SPECIFIC CONDITION

- i. The project proponent should install 24x7 air and water monitoring devices to monitor air emission and effluent discharge, as provided by CPCB and submit report to Ministry and its Regional Office.
- ii. Prior clearance from the Standing Committee of the National Board for Wildlife shall be obtained due to location of the plant in the buffer zone of Ramnabagan Wildlife Sanctuary, before commencing any expansion activity relating to the project at site. All the conditions stipulated by the Standing Committee shall be effectively implemented in the project. It shall be noted that this clearance does not necessarily implies that wildlife clearance shall be granted to the project and that your proposal for wildlife clearance shall be considered by the competent authorities on its merit and decision taken. The investment made in the project, if any based on environmental clearance granted to the project, in anticipation of the clearance from wildlife clearance shall be entirely at the cost and risk of the project proponent and Ministry of Environment, Forest and Climate Change shall not be responsible in this regard, in any manner.
- iii. Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50mg/Nm³ and installing energy efficient technologies in the Plant.
- iv. On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB shall be followed.
- v. Dust suppression system and bag filters shall be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points.
- vi. Water consumption shall not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations shall be met from rainwater stored in rainwater harvesting structures.
- vii. Rainwater harvesting scheme shall be prepared so that the rainwater can be collected, re-used and may be used for ground water recharge. The concrete drains shall be de-silted and regular supervision of the areas shall be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts shall further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement.
- viii. Greenbelt of approximately 15-20 meter width consisting of a 3-tier of trees consisting of species with thick canopy shall be developed all along the periphery of the plant, roads, vacant spaces, transfer points, etc as part of 33% of total plant area.



- ix. All the effluents shall be treated and reused for dust suppression/green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted.
- x. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding shall be submitted to the Ministry's Regional Office at Bhubaneswar.
- xi. Hazardous materials required during construction phase and in plant operations shall be stored properly as per the regulations and reused/recycled as per the E(P)A Rules.
- xii. Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.
- xiii. Risk and Disaster Management Plan along with the mitigation measures shall be prepared and implemented.
- xiv. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants shall be implemented.
- xv. All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xvi. All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company.
- xvii. At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, at Bhubaneswar. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.

B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the West Bengal Pollution Control Board and the State Government.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEFCC).
- iii. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM₁₀, PM_{2.5}, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the SPCB/CPCB once in six months.

- iv. Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.
- v. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vii. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- ix. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.
- x. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.
- xi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEFCC at Bhubaneswar. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhubaneswar / CPCB / SPCB shall monitor the stipulated conditions.
- xiii. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution


Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC at Bhubaneswar by e-mail.

- xiv. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forest and Climate Change (MoEFCC) at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar
- xv. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.

12.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

13.0 The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

14.0 The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.


(Dr. Satish C. Garkoti)
Scientist 'F'

Copy to:-

1. The Secretary, Department of Environment, Government of West Bengal.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi, 110 032.
3. The Chairman, West Bengal State Pollution Control Board, Parivesh Bhawan, Bldg. No. 10-A, Block- LA, Sector 3, Salt Lake City, Kolkata – 700 091
4. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office (EZ), A/3, Chandrasekharpur, Bhubaneswar-751023. Odisha.
5. The CWLW, West Bengal.
6. The Inspector General of Forest (WL), Ministry of Environment, Forest and Climate Change, Indira Paryavan Bhavan, Jor Bagh Road, Aliganj, New Delhi.
7. Guard File / Record File/Monitoring file.


(Dr. Satish C. Garkoti)
Scientist 'F'

F. No. J-11011/258/2012-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira ParyavaranBhawan
JorBagh Road, Aliganj,
New Delhi – 110003

E-mail: r.sundar@nic.in
Tel: 011-20819378

Dated: 25th April, 2022

To

Shri. Madhav Beriwalla,
Director,
M/s. HMB Ispat Private Limited,
"Godrej Genesis" Unit No. - 1103, 11th Floor,
Plot No. XI - 9, 10, 13 & 14, Block - EP & GP, Sector - V,
Salt Lake City, Kolkata
West Bengal - 700091
E-mail: president@hmbindustries.com; Mobile: 9007002739

Subject: Change of company name in Environment Clearance titled "expansion of Steel Melting Shop Unit (from 50,400 TPA to 90,000 TPA) at Village Palitpur, Mouza and P.O. Mirzapur, Dist. - Burdwan, West Bengal" from M/s. BRGD Ingot Private Limited to M/s. HMB Ispat Private Limited— regarding.

Ref.: (i) Ministry's EC letter No. J-11011/258/2012-IA.II(I) dated 27/08/2015
(ii) Online proposal no. IA/WB/IND/258599/2022 dated 29/03/2022

Sir,

1. Reference is invited to your online proposal no. IA/WB/IND/25899/2022 dated 29/03/2022 seeking Change of company name in the Environment Clearance cited above from M/s. BRGD Ingot Private Limited to M/s. HMB Ispat Private Limited.
2. The Ministry of Environment, Forest and Climate Change (MoEF&CC) has examined the request submitted by you and the following points are noted:
 - i. Environment clearance (EC) for the project cited above was accorded by the Ministry vide letter no. J-11011/258/2012-IA-II(I) dated 27/08/2015 under the provisions of the EIA Notification, 2006 in the name of M/s. BRGD Ingot Private Limited for Expansion of Steel melting shop unit (from 50,400 TPA to 90,000 TPA). The existing and proposed units along with their capacities as under.

S No	Units	Existing capacity	Proposed capacity	Products
1.	2x7 Tonne Induction Furnaces	50,400 TPA		Ingot
2.	1x10 & 1x15 Tonne Induction Furnaces with matching Ladle Refining Furnace & Continuous Casting Machine	-	90,000 TPA	Billet

070

ii. Detail of Consent to Establishment/ Consent to Operate:

Type of Order	Date	Details
CTE	06/10/2015	Consent to Establish pursuant to EC was obtained from WPCB vide letter no 909-2N-226/2006(E) dated 06/10/2015 issued in the name of M/s. BRGD Ingot Private Limited for 90000 TPA of MS Billets.
CTO	17/01/2022	Latest Consent to Operate was obtained from WPCB vide consent letter no. C0123381 valid up to 30/09/2023 issued in the name of M/s. BRGD Ingot Private Limited for 5000 MT per month and 180 KVA DG set.

iii. According to the records made available by the project proponent, following is the present status of the project:

S No	As per EC dated 27/08/2015 Configuration & Capacity	Implementation Status as on 29 March 2022
1	90000 TPA of Billets with 1x 10 & 1x15 T Induction furnaces	It has been reported that all the facilities envisaged under the EC dated 27/08/2015 have been implemented and under operation. As per the provisions of EIA notification, 2006 as amended on 12/04/2022, the validity period of the instant EC will be 26/08/2025.

iv. Reasons for transfer of EC:

The company was not doing well in the present business activities, the Board decided to change the name of the company so that, the company can achieve its purpose effectively its purpose effectively. As per Certificate of Incorporation pursuant to change of name dated 03/11/2021 the name of the company having CIN number U27109WB2005PTC103895 has been changed from M/s. BRGD Ingot Private Limited to M/s. HMB Ispat Private Limited.

Sl. No.	Name of Company	CIN No.
1	M/s. BRGD Ingot Private Limited	U27109WB2005PTC103895
2	M/s. HMB Ispat Private Limited.	U27109WB2005PTC103895

v. Documents submitted for EC transfer:

- Form No.7 for transfer of Environmental Clearance.
- Letter of Authority dated 24/02/2022 authorizing Mr. Madhav Beriwal, Director, M/s. HMB Ispat Private Limited to correspond and execute documents with MoEF&CC.
- Undertaking by way of Affidavit in a non-judicial stamp dated 24/02/2022 of M/s. HMB Ispat Private Limited that they will abide by and comply with all the conditions/environmental safeguards stipulated in the Environment Clearance dated 27/08/2015.
- Certificate of incorporation pursuant to change of name issued by the Registrar of Companies, Kolkata West Bengal dated 03/11/2021 and CIN No. U27109WB2005PTC103895 w.r.t. change of company name from from M/s. BRGD Ingot Private Limited to M/s. HMB Ispat Private Limited.

- e. Certified true copy of the extract of the minutes of the Extra-Ordinary General Meeting of shareholders of the Company with resolution passed by the M/s. BRGD Ingot Private Limited at its meeting held on 27/09/2021.
3. This Ministry hereby accepts your request to transfer the Environment Clearance accorded by MoEF&CC vide letter no. J-11011/258/2012-IA.II(I) dated 27/08/2015 from M/s. BRGD Ingot Private Limited to M/s. HMB Ispat Private Limited.
4. M/s. HMB Ispat Private Limited shall comply with the allspecific and general conditions stipulated in the Environment Clearance letter of even no. dated 27/08/2015 and amendment.
5. In case, there is a change in the scope of the project, fresh Environment Clearance shall be obtained.
6. This issue with the approval of the Competent Authority.

Yours faithfully,


(Sundar Ramanathan)
Scientist 'E'

Copy to:-

1. Secretary, Department of Environment, Government of West Bengal, Secretariat Kolkata.
2. Secretary, Department of Forests, Government of West Bengal, Kolkata.
3. Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, IB – 198, Sector-III, Salt Lake City, Kolkata - 700106.
4. Chairman, Central Pollution Control Board, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
5. Chairman, West Bengal State Pollution Control Board, Paribesh Bhawan, 10A- Block LA, Sector –III, Salt Lake City, Kolkata – 700 098.
6. Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
7. District Collector, Burdwan District, West Bengal.
8. Guard File/Record File/Monitoring File.
9. MoEFCC website


(Sundar Ramanathan)
Scientist 'E'

SPEED POST

NOC NO124935

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block-LA, Sector-III
Bidhannagar, Kolkata-700 098

Memo No. 909-2N-226/2006(E)Dated 06.10.2015

From :
Member Secretary,
West Bengal Pollution Control Board



To : M/s. BRGD Ingot Private Limited,
Block - C, Flat No. 201, 2nd Floor,
4, Debendra Lal Khan Road, Kolkata - 700 025.

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : Your letter No. BRGD/15-16/09211501 Dated 21.09.2015

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed ^{expansion} Unit of M/s BRGD
Ingot Private Limited
for manufacturing MS Billets - 90000 TPA
at existing Unit premises at Palitpur Road, Dewandighi, Dist., -Burdwan.

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

[Signature]
06/10/2015
Sr. Environmental Engineer,
WB Pollution Control Board
Dept. of Environment, GoWB

Annexure to NOC Sl. No. NO124935
Special conditions issued to M/s. BRGD Ingot Private Limited, Palitpur Road, Vill – Dewandighi, PO
– Mirzapur (Katwa Road), Burdwan, Pin - 713102 (Expansion Project)

A) Emission:-

Sl. No	Emission sources	Air Pollution Control System	Stack (Nos. & height from GL)
1.	1X10T & 1X15T/heat Induction Furnaces	For Induction Furnace – dedicated pollution control system comprising of swiveling hood, spark arrestor, pulse jet bag filter, ID fan followed by stack	33 m
2.	DG sets – 1X180 KVA	To be equipped with acoustic enclosure and exhaust muffler	10 m

- 1) Stacks should have sampling port, platform and ladder as per the Emission Regulation Part-III of CPCB.
- 2) The National Ambient Air Quality Emission Standards issued by MoEF vide G.S.R 826(E) dated 16th November, 2009 should be complied with.
- 3) Water sprinklers to be installed at strategic locations to arrest fugitive emission.

B) Effluent :-

- 1) Process – Nil.
- 2) Cooling water to be recycled.
- 3) Domestic - to be discharged through septic tank to soak-pit within the unit premises.

C) Solid Waste :-

- 1) Slag form induction furnace to be used for land filling and road making.

D) General :-

- 1) Noise Control – Ambient noise & D.G.Set noise level not to exceed the permissible limit.
- 2) No additional machinery / equipments can be installed without permission from this board.
- 3) Adequate arrangement for dust suppression in raw material handling section to be provided.
- 4) At least 33% of the project area should be under green belt.
- 5) Rain water harvesting must be done however recharging of harvested rain water is not allowed under any circumstances.
- 6) Conditions laid down in the Environmental Clearance obtained for the project from MoEF, GoI vide memo no. J-1101 i/258/2012-IA II (I) dated 27.08.2015 must be strictly complied with.
- 7) The conveyor belt for transferring materials to be covered.
- 8) Good house-keeping to be maintained.
- 9) Permission for extracting ground water must be obtained from the competent authority.
- 10) This NOC is valid up to 30.09.2020 for setting up the expansion project.


Sr. Environmental Engineer (EIM Cell)/Member Secretary
West Bengal Pollution Control Board.

Sr. Environmental Engineer
W B Pollution Control Board
Dept. of Environment, GoWB

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block-LA, Sector-III
Salt Lake City, Kolkata-700 098

Memo No. 957 -2N-226/2006(E)

Dated 29/07/2007



From :
Member Secretary,
West Bengal Pollution Control Board

To : **WEST BENGAL**
M/s. BRGD INGOT PRIVATE LIMITED,
SPACE TOWN COMPLEX, VIP ROAD,
BLOCK -10, ROOM NO. 411, KOLKATA - 700 052.

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : Your letter No. _____ Dated 25.04.2006

Dear Sirs,


In response to the application for Consent to Establish (NOC) for proposed Unit of M/s **BRGD INGOT PRIVATE LIMITED**

for manufacturing/storage/installation **M.S. Ingots - 4200 TPM.**

at **JL NO. 66, Plot No. & Bag No. - 56, 57, 61, 62, 74, Palitpur Road, Mirzapur, PO+PS+DIST.- Burdwan,**

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974; and/or its subsequent amendment and Environment (Protection) Rules 1986;
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above;
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board;
4. All emission from your factory shall conform to the standards as laid down by this Board;
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) Act, 1981;
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.


28/1/07
DR. T. K. GUPTA
Senior Environmental Engineer,
In-Charge, Consent Cell
West Bengal Pollution Control Board

NOC 28941

7. You shall comply with
- Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
 - Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
 - Environment (Protection) Act, 1986
 - Environment (Protection) Rules, 1986
 - Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
 - Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
 - Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
 - The Public Liability Insurance Act, 1991 and Amended Act, 1992
 - The Public Liability Insurance Rules, 1991 and Amended Rules 1993
 - Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
 - Recycled Plastics Manufacture and Usage Rules 1998, if applicable and
 - Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable
8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

SPECIAL CONDITION :

Please refer to Annexure.

Gross Capital Investment - Rs.5,50,65,000/-

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

[Signature]
Member Secretary / **SEE, In-Charge,**
West Bengal Pollution Control Board
Dr. T.K. Guptan
Senior Environmental Engineer
In-Charge, Consent Cell
Date: *[Signature]*
West Bengal Pollution Control Board

Memo No. 957-2N-226/2006(E)

Copy forwarded for information to :

- Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
- Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
- Guard file, West Bengal Pollution Control Board.
- Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./ Asansol / Sub-R.O./WBPC Board

Himalaya Bhawan
Delhi Road, Dankuni
Dist. Hooghly

VIII, Panpur
Kalyani Expressway
P.O. Narayanpur
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani
City Centre, Durgapur-16
Dist. Burdwan

Bhabani Bhawan
2nd Floor, Alipur
Kolkata-700 027

Paribesh Bhawan
10A, LA-Block, Sector-III
Salt Lake City,
Kolkata-700 098

Block-05 at 40
Flats Complex
Adjacent to Priyambada
Housing Estate
P.O. : Khanjanchak,
P.S. Durgachak
Haldia-721602
Dist : Purba Medinipur

Paribahan Nagar
Matigara, Siiliguri
Dist-Darjeeling

10, Camac Street
2nd Floor
Kolkata-700 017

Asansol Sub-Regional Office
Ghanty Mansion (2nd Floor)
60, G. T. Road
Asansol-713 301

[Signature]
Member Secretary / **SEE, In-Charge,**
West Bengal Pollution Control Board
Dr. T.K. Guptan
Senior Environmental Engineer
In-Charge, Consent Cell
West Bengal Pollution Control Board

Special Conditions issued to - M/s. BRGD INGOT PRIVATE LIMITED

Emission :-

- 1) Induction Furnace (Elect) – 2 (two) nos., Capacity (each) - 7 MT per batch.
 - 2) DG Set - 1 (one) no., Capacity - 63 KVA
 - 3) Stack -
 - i. for Induction Furnaces 30 m from G.L. to be provided with Air Pollution Control Systems (swiveling hood, cyclone cum spark arrestor, Bag Filter & I.D. Fan).
 - ii. for DG set 3.5 m above the roof of the generator room. DG Sets to be provided with acoustic enclosure.
- Stacks should have sampling arrangement with port, platform and ladder as per the Emission Regulation Part -III of CPCB.

Effluent :-


- 1) Process – Nil.
- 2) Cooling water to be recycled after settling.
- 3) Domestic – to be discharged through septic tank to panchayat drain.

Solid Waste :-

Dust / Lump - to be used for land filling.

General :-

- 1) Noise Control – Ambient & DG set noise level not to exceed the permissible limit.
- 2) The standards / guidelines for control of noise from stationary Diesel generator sets prescribed under notification of Ministry of Environment & Forest, Govt. of India, G.S.R.371(E), [17/5/2002] and its amendments should be followed.
- 3) No additional machineries / equipments can be installed without prior permission from this Board.
- 4) No change in raw materials, products and production capacity should be made without prior permission from this Board.
- 5) Only metallic mould to be used for moulding / sand moulding not permitted.
- 6) Use of galvanised iron scrap as raw material is not permitted.
- 7) Sponge iron to be used as major raw material.
- 8) Proper lighting and proper pathway inside the factory premises should be constructed.
- 9) Adequate measures to be adopted for control of fugitive emission.
- 10) The unit should not start operation without obtaining 'Consent to Operate' from this Board after complete installation of pollution control devices.
- 11) The unit should obtain permission from the District level authority for ground water abstraction, if any, as per The West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005; before applying for 'Consent to Operate' to this Board.
- 12) The unit should obtain Environmental Clearance from the State Environment Impact Assessment Authority (SEIAA) by 30th June 2007 as per the EIA notification SO 1533 dated 14th September, 2006 and subsequent circular dated 21st November 2006.
- 13) The unit should obtain permission from appropriate authority to ensure power supply.
- 14) The unit should obtain Land Conversion Certificate, if applicable.
- 15) Good house-keeping to be maintained.
- 16) Tree planting – along the periphery as well as within the premises.
- 17) This NOC is valid upto 30.04.2011 for setting up the unit.


Member Secretary / SBE, In-Charge Consent Cell
West Bengal Pollution Control Board
DR. T. K. GUPTA
Senior Environmental Engineer,
In-Charge, Consent Cell
West Bengal Pollution Control Board

NOC Sl.No. NO137521

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block-LA, Sector-III
Bidhannagar, Kolkata-700 098

Memo No. 535-7/WPBD/CONT(4992)/12

Dated 23.08.2018

Application no. nc0001000036144

From :
Member Secretary,
West Bengal Pollution Control Board



To: M/s. B R G D Ingot Private Ltd.,
Palitpur Road,
Dewandighi,
P.O: Mirzapur,
Dist. Purba Bardhaman,
West Bengal, India
Pin - 713112.

Sub: Consent to Establish (NOC) from Environmental Point of View

Ref: Your letter No. _____ Dated 22/07/2016 & 21/05/2018

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s. BRGD Ingot Private Limited, expansion for manufacturing storage/installation of Rolling Mill (Hot Rolled Sectional Steel & TMT Bar - 1,38,000 TPA). at the existing premises at Palitpur Road, Dewandighi, P.O: Mirzapur, Dist. Purba Bardhaman, Pin- 713112, this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.



WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Government of West Bengal)

Office of the Senior Environmental Engineer

Kankinara Circle Office

Panpur More, P.O. – Narayanpur, Kankinara, 24-Parganas (N), Pin – 743 126

SPECIAL CONDITION

Annexure to Consent to Establish (NOC) Sl. No. NO137521

Special Condition issued to: M/s. BRGD Ingot Private Ltd located at Palitpur Road, Dewandighi, P.O.-Mirzapur, Dist.-Purba Bardhaman, West Bengal, PIN-713 102

A) Emission : Nil

B) Effluent :


1. Process : Cooling water to be recycled
2. Domestic – to be discharged through septic tank to soak pit within the premises.

C) Solid Waste: -

1. Non Hazardous solid waste must be disposed off in an environmentally safe manner.
2. Hazardous (Used Oil, Oil Soaked Cotton etc., Oily sludge if any) waste to be kept in a secured HDPE lined pit and to be disposed off as per direction of the State Board.

D) General:

1. The project proponent/authorities must obtain all other approvals from concerned Central/State Govt. agencies including consent to operate from State Pollution Control Board under Air and Water Acts at the time of commissioning.
2. Noise control – Ambient noise level & D.G. set noise level not to exceed the permissible limit. The standards/guidelines for control of noise from stationary D.G.set prescribed under notification of Ministry of Environment & Forest, Govt. of India dated 22.12.1998 namely Environment (Protection) (Second amendment) Rules 1998 to be followed
3. Permission from local authority to be obtained.
4. No equipment or machinery to be installed without prior permission of the State Board.
5. **Use of energy efficient construction materials should be ensured. Energy efficient systems should be installed.**
6. **Street lighting to be done using solar system.**
7. Appropriate arrangement is to be done for rainwater harvesting within the site. The proponent must practice rainwater harvesting on regular basis.
8. Ground water should not be abstracted without prior permission of the Local body as well as the Competent Authority as per the West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005.
9. The proponent shall undertake awareness programmes for the residents to promote water and energy conservation and to ensure environmental protection.
10. The unit is directed to maintain the norms of the State Board with respect to emission and discharge.
11. All the norms of the Environment (Protection) Act 1986 to be abided by the unit.
12. This NOC is valid upto 30.06.2023 for setting up of expansion part of the unit only.


23/05/17
Member Secretary
West Bengal Pollution Control Board
Dr. Somnath Narayan
Senior Environmental Engineer
Kankinara Circle Office
W.B., Pollution Control Board

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan'

Bldg. No. - 10A, Block - LA, Sector-III

Salt Lake City, Kolkata-700 098

[Renewal]



Consent Letter Number : C0123381

Memo Number : 54-7/WPBD-cont(4992)/12

Date : 17/01/2022

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to :

BRGD Ingot WEST BENGAL PVT. LTD.

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Palitpur Road, Mirzapur,
P.O. & P.S. - Burdwan, Purba Bardhaman - 713102

(Detailed address of the manufacturing unit)

for a period from date of issue to 30/09/2023 (30/09/2023)

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

For and on behalf of the State Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. (Regional Office) / Env. Engr.)

Environmental Engineer
Burgapur Regional Office
West Bengal Pollution Control Board



ANNEXURE

Consent to BRGD Ingot Pvt. Ltd.
 for its unit at Palitpur Road, Misapur, P.O & P.S - Burdwan,
Purba Bardhaman - 713102

Conditions :

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	M. S. Billets	5000MT
02	(By 1X15MT charge Induction Furnace followed by CCM)	
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.

03. Daily discharge of industrial liquid effluent shall not exceed 6 recycled KL.

04. Daily discharge of domestic liquid effluent shall not exceed 3.60 KL.

05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed — KL.

06. The Applicant shall discharge liquid effluent to outside drain (place of discharge) through One nos. outlets / outfalls.

07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.

08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

(Member Secretary/Chief Engr./ Sr. Env. Engr./ Environmental Engineer/ Asst. Env. Engr.)

Key
 Durgapur Regional Office
 West Bengal Pollution Control Board
 Continued.....

Consent to B.R.G.D. Ingot Pvt. Ltd.
 for its unit at Palitpur Road, Mirzapur, P.O & P.S - Burdwan,
Purba Bardhaman - 713102

11. The Applicant shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.
12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to facilitate identification.
13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below :

Table-II

Stack No.	Stack height from G.I., (in mts.)	Stack attached to (sources and control system, if any):	Volume Nm ³ /hr.	Velocity of gas emission m/sec	Concentrations of parameters not to exceed				Frequency of emission sampling
					SPM (mg/Nm ³)	CO (%v/v)			
S-1*	24m	1X15MT/charge Induction furnace			50	1			yearly
S-2	10m	1X180kVA D.G Set			150	1			yearly
S-3									
S-4									
S-5									
S-6									
S-7									
S-8									
S-9									
S-10									

* Stack height should be at least 30m from the G.L.

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)
 Environmental Engineer
 Durgapur Regional Office
 West Bengal Pollution Control Board
 Continued.....

Consent to BRGD Ingot Pvt. Ltd.
 for its unit at Palitpur Road, Mirzapur, P.O & P.S - Burdwan,
Purba Bardhaman - 713102

14. The *Applicant* shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the *State Board's* staff as well as *State Board's* authorised agencies.
15. The *Applicant* shall observe the following fuel consumption pattern :-

Sl. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01	HSD	—	1X 180 KVA D.G set
02			
03			
04			
05			

16. The *Applicant* shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below :-

Type of waste	Quantity	Treatment	Disposal
Slag (from Induction Furnace)	360 MT/month	—	To be disposed off in environmental safe manner

17. The *Applicant* shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below :-

Time	Limit in dB(A) L_{eq}
Day Time (06 a.m. to 09 p.m.)	65
Night Time (09 p.m. to 06 a.m.)	55

18. The *Applicant* shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.
19. The *Applicant* shall bring about at least 33% of the available open land under the green coverage / plantation.
20. The *Applicant* shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the *Applicant* to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the *Applicant* shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.
21. The *Applicant* shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.
22. The *Applicant* shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
23. The *Applicant* shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste


 Environmental Engineer
 Durgapur Regional Office
 West Bengal Pollution Control Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Continued.....

Consent to BRGD Ingot Pvt. Ltd.
 for its unit at Palitpur Road, Mirzapur, P.O & P.S - Bardhaman,
Purea Bardhaman - 713102

24. The *Applicant* shall maintain a separate register showing consumption of chemicals used in pollution control systems.
25. The *Applicant* shall get the samples of hazardous wastes/leachates analysed at least once in from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
26. The *Applicant* shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the *State Board's* staff as well as *State Board's* authorised agencies.
27. The *Applicant* shall submit to the *State Board* by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
28. The *Applicant* shall allow the Officers of the *State Board* to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
29. The *Applicant* shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the *State Board* for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
30. The *Application* shall furnish to the *State Board* all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
31. The *Applicant* shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
32. The *Applicant* shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
33. The *Applicant* shall intimate to the *State Board* immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The *Applicant* Shall (i) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
34. The *Applicant* shall make an application to the *State Board* in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
35. The *Applicant* shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
36. The *Applicant* shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

This consent may be revoked subject to any valid public complaint for violation of environmental norms.

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Key
 Environmental Engineer
 Durgapur Regional Office
 West Bengal Pollution Control Board

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan',
Bldg. No. - 10A, Block-LA, Sector-III,
Salt Lake City, Kolkata-700 098



Consent Letter Number : CO107585

Memo Number : 589 - JY - CO - S/12/0063

Date : 11.01.2019

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981.

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended, and Rules and Orders made thereunder, hereby grants its consent to:

M/s. BRGD Ingot Pvt. Ltd.,

WEST BENGAL

(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Palitpur Road, Vill: Dewandighi,
Mirzapur, P.O. & P.S: Burdwan, Dist. Purba Bardhaman, Pin - 713102.

(Detailed address of the manufacturing unit)

for a period from the date of issue to 30.09/2023

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

This 'Consent to Operate' letter is valid for operating of 1(one) no. hot rolling mill of capacity 1,38,000TPA for production of hot rolled sectional steel & TMT.

Application for renewal shall be filed at least For and on behalf of the State Board
120 (one hundred twenty) days before the
date of expiry of this certificate.

(Name of Secretary/Chief Engr./Sr. Env. Engr./Bar. Engr./Asst. Secy./Bar. Engr.)



ANNEXURE

Consent to M/s. BRGD Ingot Pvt. Ltd.,
 for its unit at Palitpur Road, Vill: Dewandighi, Mirzapur, P.O; & P.S: Burdwan,
Dist, Purba Bardhaman, Pin - 713102.


Conditions :

01. This Consent is valid for the manufacture of :-

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Hot Rolled Sectional Steel of TMT :	11,500 MT/month.
02		
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		

02. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
03. Daily discharge of industrial liquid effluent shall not exceed N11 KL.
Existing Septic tank to soak pit
04. Daily discharge of domestic liquid effluent shall not exceed KL.
05. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed KL.
06. The Applicant shall discharge liquid effluent to (place of discharge)
 through nos. outlets/outfalls.
07. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
08. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.

(Member Secretary of the Board / Sr. Env. Engineer)




Consent to M/s. BRGD Ingot Pvt. Ltd.,
 for its unit at Palitpur Road, Vill: Dewandighi, Mirzapur, P.O. & P.S.: Burdwan,
Dist. Purba Bardhaman, Pin - 713102.

11. The *Applicant* shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the *State Board*.
12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to facilitate identification.
13. The *Applicant* shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the *Standard* as given in Table-II below :

Table - II

Stack No.	Stack height from G.L., (in mts.)	Stack attached to (sources and control system, if any) :	Volume Nm ³ /hr.	Velocity of gas emission m/sec	Concentrations of parameters not to exceed		Frequency of emission sampling
					SPM (mg/Nm ³)	CO (% v/v)	
S-1							
S-2							
S-3							
S-4							
S-5							
S-6							
S-7							
S-8							
S-9							
S-10							

(Signature) /Sr. Engr. /Sr. Engr. /Sr. Engr. /Sr. Engr.



Continued...P/5

Consent to **M/s. BRGD Ingot Pvt. Ltd.,**
 its unit at **Palitpur Road, Vill: Dewandighi, Mirzapur, P.O. & P.S: Burdwan,**
Dist. Purba Bardhaman, Pin- 713102.

The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

The Applicant shall observe the following fuel consumption pattern := **N.A.**

Sl. No.	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01			
02			
03			
04			

The Applicant shall maintain the generation and treatment / disposal of non-hazardous solid waste as specified below :

Type of waste	Quantity	Treatment	Disposal
Mill Scale	200 MT		Re-use.
-	-		-

7. The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below :-

Time	Limit in dB(A) L_{eq}
Day Time (06 a.m. to 09 p.m.)	65
Night Time (09 p.m. to 06 a.m.)	55

8. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.

9. The Applicant shall bring about at least 33% of the available open land under the green coverage/plantation.

10. The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.

11. The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.

12. The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

13. The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

(M) 0136758585/CH/1000g./Sr. Engr. Biter/Burdwan/2017/2018/2019/2020/2021/2022/2023/2024/2025/2026/2027/2028/2029/2030/2031/2032/2033/2034/2035/2036/2037/2038/2039/2040/2041/2042/2043/2044/2045/2046/2047/2048/2049/2050/2051/2052/2053/2054/2055/2056/2057/2058/2059/2060/2061/2062/2063/2064/2065/2066/2067/2068/2069/2070/2071/2072/2073/2074/2075/2076/2077/2078/2079/2080/2081/2082/2083/2084/2085/2086/2087/2088/2089/2090/2091/2092/2093/2094/2095/2096/2097/2098/2099/2100/2101/2102/2103/2104/2105/2106/2107/2108/2109/2110/2111/2112/2113/2114/2115/2116/2117/2118/2119/2120/2121/2122/2123/2124/2125/2126/2127/2128/2129/2130/2131/2132/2133/2134/2135/2136/2137/2138/2139/2140/2141/2142/2143/2144/2145/2146/2147/2148/2149/2150/2151/2152/2153/2154/2155/2156/2157/2158/2159/2160/2161/2162/2163/2164/2165/2166/2167/2168/2169/2170/2171/2172/2173/2174/2175/2176/2177/2178/2179/2180/2181/2182/2183/2184/2185/2186/2187/2188/2189/2190/2191/2192/2193/2194/2195/2196/2197/2198/2199/2200/2201/2202/2203/2204/2205/2206/2207/2208/2209/2210/2211/2212/2213/2214/2215/2216/2217/2218/2219/2220/2221/2222/2223/2224/2225/2226/2227/2228/2229/2230/2231/2232/2233/2234/2235/2236/2237/2238/2239/2240/2241/2242/2243/2244/2245/2246/2247/2248/2249/2250/2251/2252/2253/2254/2255/2256/2257/2258/2259/2260/2261/2262/2263/2264/2265/2266/2267/2268/2269/2270/2271/2272/2273/2274/2275/2276/2277/2278/2279/2280/2281/2282/2283/2284/2285/2286/2287/2288/2289/2290/2291/2292/2293/2294/2295/2296/2297/2298/2299/2300/2301/2302/2303/2304/2305/2306/2307/2308/2309/2310/2311/2312/2313/2314/2315/2316/2317/2318/2319/2320/2321/2322/2323/2324/2325/2326/2327/2328/2329/2330/2331/2332/2333/2334/2335/2336/2337/2338/2339/2340/2341/2342/2343/2344/2345/2346/2347/2348/2349/2350/2351/2352/2353/2354/2355/2356/2357/2358/2359/2360/2361/2362/2363/2364/2365/2366/2367/2368/2369/2370/2371/2372/2373/2374/2375/2376/2377/2378/2379/2380/2381/2382/2383/2384/2385/2386/2387/2388/2389/2390/2391/2392/2393/2394/2395/2396/2397/2398/2399/2400/2401/2402/2403/2404/2405/2406/2407/2408/2409/2410/2411/2412/2413/2414/2415/2416/2417/2418/2419/2420/2421/2422/2423/2424/2425/2426/2427/2428/2429/2430/2431/2432/2433/2434/2435/2436/2437/2438/2439/2440/2441/2442/2443/2444/2445/2446/2447/2448/2449/2450/2451/2452/2453/2454/2455/2456/2457/2458/2459/2460/2461/2462/2463/2464/2465/2466/2467/2468/2469/2470/2471/2472/2473/2474/2475/2476/2477/2478/2479/2480/2481/2482/2483/2484/2485/2486/2487/2488/2489/2490/2491/2492/2493/2494/2495/2496/2497/2498/2499/2500/2501/2502/2503/2504/2505/2506/2507/2508/2509/2510/2511/2512/2513/2514/2515/2516/2517/2518/2519/2520/2521/2522/2523/2524/2525/2526/2527/2528/2529/2530/2531/2532/2533/2534/2535/2536/2537/2538/2539/2540/2541/2542/2543/2544/2545/2546/2547/2548/2549/2550/2551/2552/2553/2554/2555/2556/2557/2558/2559/2560/2561/2562/2563/2564/2565/2566/2567/2568/2569/2570/2571/2572/2573/2574/2575/2576/2577/2578/2579/2580/2581/2582/2583/2584/2585/2586/2587/2588/2589/2590/2591/2592/2593/2594/2595/2596/2597/2598/2599/2600/2601/2602/2603/2604/2605/2606/2607/2608/2609/2610/2611/2612/2613/2614/2615/2616/2617/2618/2619/2620/2621/2622/2623/2624/2625/2626/2627/2628/2629/2630/2631/2632/2633/2634/2635/2636/2637/2638/2639/2640/2641/2642/2643/2644/2645/2646/2647/2648/2649/2650/2651/2652/2653/2654/2655/2656/2657/2658/2659/2660/2661/2662/2663/2664/2665/2666/2667/2668/2669/2670/2671/2672/2673/2674/2675/2676/2677/2678/2679/2680/2681/2682/2683/2684/2685/2686/2687/2688/2689/2690/2691/2692/2693/2694/2695/2696/2697/2698/2699/2700/2701/2702/2703/2704/2705/2706/2707/2708/2709/2710/2711/2712/2713/2714/2715/2716/2717/2718/2719/2720/2721/2722/2723/2724/2725/2726/2727/2728/2729/2730/2731/2732/2733/2734/2735/2736/2737/2738/2739/2740/2741/2742/2743/2744/2745/2746/2747/2748/2749/2750/2751/2752/2753/2754/2755/2756/2757/2758/2759/2760/2761/2762/2763/2764/2765/2766/2767/2768/2769/2770/2771/2772/2773/2774/2775/2776/2777/2778/2779/2780/2781/2782/2783/2784/2785/2786/2787/2788/2789/2790/2791/2792/2793/2794/2795/2796/2797/2798/2799/2800/2801/2802/2803/2804/2805/2806/2807/2808/2809/2810/2811/2812/2813/2814/2815/2816/2817/2818/2819/2820/2821/2822/2823/2824/2825/2826/2827/2828/2829/2830/2831/2832/2833/2834/2835/2836/2837/2838/2839/2840/2841/2842/2843/2844/2845/2846/2847/2848/2849/2850/2851/2852/2853/2854/2855/2856/2857/2858/2859/2860/2861/2862/2863/2864/2865/2866/2867/2868/2869/2870/2871/2872/2873/2874/2875/2876/2877/2878/2879/2880/2881/2882/2883/2884/2885/2886/2887/2888/2889/2890/2891/2892/2893/2894/2895/2896/2897/2898/2899/2900/2901/2902/2903/2904/2905/2906/2907/2908/2909/2910/2911/2912/2913/2914/2915/2916/2917/2918/2919/2920/2921/2922/2923/2924/2925/2926/2927/2928/2929/2930/2931/2932/2933/2934/2935/2936/2937/2938/2939/2940/2941/2942/2943/2944/2945/2946/2947/2948/2949/2950/2951/2952/2953/2954/2955/2956/2957/2958/2959/2960/2961/2962/2963/2964/2965/2966/2967/2968/2969/2970/2971/2972/2973/2974/2975/2976/2977/2978/2979/2980/2981/2982/2983/2984/2985/2986/2987/2988/2989/2990/2991/2992/2993/2994/2995/2996/2997/2998/2999/3000/3001/3002/3003/3004/3005/3006/3007/3008/3009/3010/3011/3012/3013/3014/3015/3016/3017/3018/3019/3020/3021/3022/3023/3024/3025/3026/3027/3028/3029/3030/3031/3032/3033/3034/3035/3036/3037/3038/3039/3040/3041/3042/3043/3044/3045/3046/3047/3048/3049/3050/3051/3052/3053/3054/3055/3056/3057/3058/3059/3060/3061/3062/3063/3064/3065/3066/3067/3068/3069/3070/3071/3072/3073/3074/3075/3076/3077/3078/3079/3080/3081/3082/3083/3084/3085/3086/3087/3088/3089/3090/3091/3092/3093/3094/3095/3096/3097/3098/3099/3100/3101/3102/3103/3104/3105/3106/3107/3108/3109/3110/3111/3112/3113/3114/3115/3116/3117/3118/3119/3120/3121/3122/3123/3124/3125/3126/3127/3128/3129/3130/3131/3132/3133/3134/3135/3136/3137/3138/3139/3140/3141/3142/3143/3144/3145/3146/3147/3148/3149/3150/3151/3152/3153/3154/3155/3156/3157/3158/3159/3160/3161/3162/3163/3164/3165/3166/3167/3168/3169/3170/3171/3172/3173/3174/3175/3176/3177/3178/3179/3180/3181/3182/3183/3184/3185/3186/3187/3188/3189/3190/3191/3192/3193/3194/3195/3196/3197/3198/3199/3200/3201/3202/3203/3204/3205/3206/3207/3208/3209/3210/3211/3212/3213/3214/3215/3216/3217/3218/3219/3220/3221/3222/3223/3224/3225/3226/3227/3228/3229/3230/3231/3232/3233/3234/3235/3236/3237/3238/3239/3240/3241/3242/3243/3244/3245/3246/3247/3248/3249/3250/3251/3252/3253/3254/3255/3256/3257/3258/3259/3260/3261/3262/3263/3264/3265/3266/3267/3268/3269/3270/3271/3272/3273/3274/3275/3276/3277/3278/3279/3280/3281/3282/3283/3284/3285/3286/3287/3288/3289/3290/3291/3292/3293/3294/3295/3296/3297/3298/3299/3300/3301/3302/3303/3304/3305/3306/3307/3308/3309/3310/3311/3312/3313/3314/3315/3316/3317/3318/3319/3320/3321/3322/3323/3324/3325/3326/3327/3328/3329/3330/3331/3332/3333/3334/3335/3336/3337/3338/3339/3340/3341/3342/3343/3344/3345/3346/3347/3348/3349/3350/3351/3352/3353/3354/3355/3356/3357/3358/3359/3360/3361/3362/3363/3364/3365/3366/3367/3368/3369/3370/3371/3372/3373/3374/3375/3376/3377/3378/3379/3380/3381/3382/3383/3384/3385/3386/3387/3388/3389/3390/3391/3392/3393/3394/3395/3396/3397/3398/3399/3400/3401/3402/3403/3404/3405/3406/3407/3408/3409/3410/3411/3412/3413/3414/3415/3416/3417/3418/3419/3420/3421/3422/3423/3424/3425/3426/3427/3428/3429/3430/3431/3432/3433/3434/3435/3436/3437/3438/3439/3440/3441/3442/3443/3444/3445/3446/3447/3448/3449/3450/3451/3452/3453/3454/3455/3456/3457/3458/3459/3460/3461/3462/3463/3464/3465/3466/3467/3468/3469/3470/3471/3472/3473/3474/3475/3476/3477/3478/3479/3480/3481/3482/3483/3484/3485/3486/3487/3488/3489/3490/3491/3492/3493/3494/3495/3496/3497/3498/3499/3500/3501/3502/3503/3504/3505/3506/3507/3508/3509/3510/3511/3512/3513/3514/3515/3516/3517/3518/3519/3520/3521/3522/3523/3524/3525/3526/3527/3528/3529/3530/3531/3532/3533/3534/3535/3536/3537/3538/3539/3540/3541/3542/3543/3544/3545/3546/3547/3548/3549/3550/3551/3552/3553/3554/3555/3556/3557/3558/3559/3560/3561/3562/3563/3564/3565/3566/3567/3568/3569/3570/3571/3572/3573/3574/3575/3576/3577/3578/3579/3580/3581/3582/3583/3584/3585/3586/3587/3588/3589/3590/3591/3592/3593/3594/3595/3596/3597/3598/3599/3600/3601/3602/3603/3604/3605/3606/3607/3608/3609/3610/3611/3612/3613/3614/3615/3616/3617/3618/3619/3620/3621/3622/3623/3624/3625/3626/3627/3628/3629/3630/3631/3632/3633/3634/3635/3636/3637/3638/3639/3640/3641/3642/3643/3644/3645/3646/3647/3648/3649/3650/3651/3652/3653/3654/3655/3656/3657/3658/3659/3660/3661/3662/3663/3664/3665/3666/3667/3668/3669/3670/3671/3672/3673/3674/3675/3676/3677/3678/3679/3680/3681/3682/3683/3684/3685/3686/3687/3688/3689/3690/3691/3692/3693/3694/3695/3696/3697/3698/3699/3700/3701/3702/3703/3704/3705/3706/3707/3708/3709/3710/3711/3712/3713/3714/3715/3716/3717/3718/3719/3720/3721/3722/3723/3724/3725/3726/3727/3728/3729/3730/3731/3732/3733/3734/3735/3736/3737/3738/3739/3740/3741/3742/3743/3744/3745/3746/3747/3748/3749/3750/3751/3752/3753/3754/3755/3756/3757/3758/3759/3760/3761/3762/3763/3764/3765/3766/3767/3768/3769/3770/3771/3772/3773/3774/3775/3776/3777/3778/3779/3780/3781/3782/3783/3784/3785/3786/3787/3788/3789/3790/3791/3792/3793/3794/3795/3796/3797/3798/3799/3800/3801/3802/3803/3804/3805/3806/3807/3808/3809/3810/3811/3812/3813/3814/3815/3816/3817/3818/3819/3820/3821/3822/3823/3824/3825/3826/3827/3828/3829/3830/3831/3832/3833/3834/3835/3836/3837/3838/3839/3840/3841/3842/3843/3844/3845/3846/3847/3848/3849/3850/3851/3852/3853/3854/3855/3856/3857/3858/3859/3860/3861/3862/3863/3864/3865/3866/3867/3868/3869/3870/3871/3872/3873/3874/3875/3876/3877/3878/3879/3880/3881/3882/3883/3884/3885/3886/3887/3888/3889/3890/3891/3892/3893/3894/3895/3896/3897/3898/3899/3900/3901/3902/3903/3904/3905/3906/3907/3908/3909/3910/3911/3912/3913/3914/3915/3916/3917/3918/3919/3920/3921/3922/3923/3924/3925/3926/3927/3928/3929/3930/3931/3932/3933/3934/3935/3936/3937/3938/3939/3940/3941/3942/3943/3944/3945/3946/3947/3948/3949/3950/3951/3952/3953/3954/3955/3956/3957/3958/3959/3960/3961/3962/3963/3964/3965/3966/3967/3968/3969/3970/3971/3972/3973/3974/3975/3976/3977/3978/3979/3980/3981/3982/3983/3984/3985/3986/3987/3988/3989/3990/3991/3992/3993/3994/3995/3996/3997/3998/3999/4000/4001/4002/4003/4004/4005/4006/4007/4008/4009/4010/4011/4012/4013/4014/4015/4016/4017/4018/4019/4020/4021/4022/4023/4024/4025/4026/4027/4028/4029/4030/4031/4032/4033/4034/4035/4036/4037/4038/4039/4040/4041/4042/4043/4044/4045/4046/4047/4048/4049/4050/4051/4052/4053/4054/4055/4056/4057/4058/4059/4060/4061/4062/4063/4064/4065/4066/4067/4068/4069/4070/4071/4072/4073/4074/4075/4076/4077/4078/4079/4080/4081/4082/4083/4084/4085/4086/4087/4088/4089/4090/4091/4092/4093/4094/4095/4096/4097/4098/4099/4100/4101/4102/4103/4104/4105/4106/4107/4108/4109/4110/4111/4112/4113/4114/4115/4116/4117/4118/4119/4120/4121/4122/4123/4124/4125/4126/4127/4128/4129/4130/4131/4132/4133/4134/4135/4136/4137/4138/4139/4140/4141/4142/4143/4144/4145/4146/4147/4148/4149/4150/4151/4152/4153/4154/4155/4156/4157/4158/4159/4160/4161/4162/4163/4164/4165/4166/4167/4168/4169/4170/4171/4172/4173/4174/4175/4176/4177/4178/4179/4180/4181/4182/4183/4184/4185/4186/4187/4188/418

Consent to M/s. BRGD Ingot Pvt. Ltd.,
 for its unit at Palitpur Road, Vill: Dewandighi, Mirzapur, P.O. & P.S: Burawan,
Dist. Purba Bardhaman, Pin- 713102,

24. The *Applicant* shall maintain a separate register showing consumption of chemicals used in pollution control systems.
25. The *Applicant* shall get the samples of hazardous wastes/leachates analysed at least once in from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
26. The *Applicant* shall provide adequate and safe facility for collection of air, wastewater and solid waste samples by the *State Board's* staff as well as *State Board's* authorised agencies.
27. The *Applicant* shall submit to the *State Board* by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form-V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] Rules, 1992.
28. The *Applicant* shall allow the Officers of the *State Board* to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
29. The *Applicant* shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the *State Board* for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
30. The *Applicant* shall furnish to the *State Board* all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
31. The *Applicant* shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and/or emission control devices and for overall environment management of the industry.
32. The *Applicant* shall have to make registration for the use of groundwater, if any, with Central Ground Water Authority.
33. The *Applicant* shall intimate to the *State Board* immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quantity as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident / event including natural disaster. The *Applicant* shall (i) take all steps adequate to prevent such accidental discharge / release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment. (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous, noxious or pollutants to the environment.
34. The *Applicant* shall make an application to the *State Board* in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
35. The *Applicant* shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
36. The *Applicant* shall comply with the conditions as laid down in the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions - Please see enclosed Annexure.

(Name of Secretary/Chief Engr/Sr. Engr/Engr/Asst. Engr/Asst. Engr/Asst. Engr)





WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Government of West Bengal)

Office of the Senior Environmental Engineer

Kankinara Circle Office

Paapur More, P.O. – Narayanpur, Kankinara, 24-Parganas (N), Pin – 743 126

ANNEXURE

to Consent to Operate letter number **CO107585**

Bearing memo no. 589_dr_co_o/09/0236, Date: 10/01/2019.

11

Additional Conditions :

- 1) This Consent letter may be revoked at any time on the ground of valid public complaint regarding Water, Air or Noise Pollution against your unit or in case of any Environmental Hazards created by your unit.
- 2) This Consent to Operate letter is valid for operation of 01 (one) number Hot Rolling Mill of capacity 1,38,000 TPA for production of Hot Rolled Sectional Steel & TMT.
- 3) All condition laid down in the NOC sl. No.- NO137521 issued bearing memo no.- 535-7/WPBD/Cont(4992)/12, dated : 23/05/2018.

**Senior Environmental Engineer
Kankinara Circle Office**